

Collection

HEYJOE!

Article

HJ299

Description

Monohole free-standing washbasin mixer complete with

drain.

Box Dimensions

Weight

1100 x 360 x 180 mm

13.8 kg

Finishes





















000


 \bigcirc BB

OII


ORR

ORS ROSE GOLD

OON NATURAL BRASS OIS BRUSHED PALE GOLD OHH PVD CHOCOLATE







Cartridge

IB 35 mms Ceramics Discs Cartridge

Wall Hoses

Inox hoses G3\8" female 740 mms long

Aerator

M24x1 perlator

Flow Rate (+/-10%)

1 BAR 14.4 I\min 2 BAR 20.6 I\min 3 BAR 25.4 I\min

Production

Main body is a single casted pieces


Material

BRASS

According to CuZn35Pb2Al-B (CB752S)

Max Lead content: 1.36%





Elenco parti			
ELEM	CODICE	NUMERO DI MAGAZZINO	QT
1	CPKHJ299C	Preassembled free-standing washbasin	1
	CX01	mixer	
1.1	AC0009973	Cover nut for sphere Ø38,16 H10	1
	AQ0010014	Antifriction ring for sphere H.2,5	1
1.3	AC0009974	Cover cartridge sphere	1
1.4	AQ0010077	OR 9x1.5 NBR 70 SH	1
1.5	AC0009975	Rod for lever	1
	AQ0001040	Cartridge ring nut M37x1.5 H9	1
1.7	AQ0010039	Ceramic cartridge joystick Ø35 with	1
		distribution	
	AC0010813	Plug Ø33,3X15	1
1.9	AQ0006585	OR 28.25x2.62 NBR 70 SH	1
1.10	AQ0010988	Inox plug Ø4 H12	1
1.11	CC0001596	Mixer body from floor	1
	AQ0001082	Grub screw M4x4 ISO 4027	1
1.13	AQ0000020	Aerator M24 x 1 perlator honeycomb	1
		(40200503301)	
1.14	AC0010701	Connection piece 55.8x37.9x45	2
1.15	AQ0010892	Inox screw M5x65 ISO 4762	2
1.16	AC0009685	Extension pipe Ø12 M10x1 F M10x1 M L200	2
1.17	AQ0010891	Inox hose M10x1 G3/8" L740	2
1.18	AQ0013722	Inox screw M5x8	2
1.19	AC0010703	Pipe 60x42x790	1
1.20	AQ0010893	Inox screw M5x16 ISO 4762	2
1.21	AC0010704	Fixing plate 130x150x10	1
1.22	AQ0013722	Inox screw M5x8	2
2		Raw plug 8x45	4
3	AQ0010872	Fixing flange 70x70x30	1



☑ f *P*



WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.

