

27 803 892




- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.


	Brushed Chrome	27 803 892-93
	Chrome	27 803 892-00
	Chrome	27 803 892-00 0010
	Brushed Platinum	27 803 892-06
	Brushed Platinum	27 803 892-06 0010
	Platinum	27 803 892-08
	Platinum	27 803 892-08 0010
	Dark Chrome	27 803 892-19
	Dark Chrome	27 803 892-19 0010
	Brushed Durabronze (23kt Gold)	27 803 892-28 0010
	Brushed Durabronze (23kt Gold)	27 803 892-28
	Matte Black	27 803 892-33
	Matte Black	27 803 892-33 0010
	Brushed Bronze	27 803 892-42 0010
	Brushed Bronze	27 803 892-42
	Brushed Champagne (22kt Gold)	27 803 892-46 0010
	Brushed Champagne (22kt Gold)	27 803 892-46
	Champagne (22kt Gold)	27 803 892-47 0010
	Champagne (22kt Gold)	27 803 892-47
	Brushed Chrome	27 803 892-93 0010
	Brushed Dark Platinum	27 803 892-99
	Brushed Dark Platinum	27 803 892-99 0010

27 803 892

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



## TARA Hand shower set with individual rosettes - Brushed Chrome

---

TARA

27 803 892

### Certificates

---

Belgaqua\_21-024-2 LGA\_29


27 803 892

Product version up to 6/30/2015

Product version from 6/30/2015 to 7/21/2020

**Product version from 7/21/2020**

Parts for other  
finishes can be found  
here: [Chrome](#)





# TARA Hand shower set with individual rosettes - Brushed Chrome

TARA

27 803 892

## Spare parts list

Product version up to 6/30/2015

Product version from 6/30/2015 to 7/21/2020

### Product version from 7/21/2020

No.	Item Number	Name	Quantity used	Delivery time
	28 450 892-93	connection	4	-

Spare part can no longer be ordered, please order the replacement item