

Collection

HERMES ELLE

Article

HL398_3

Description

Four holes wall-mounted bath filler with shower kit.

Box Dimensions Weight 3.6 kg 370x270x80 mm

Finishes

● CC CHROME











RS ROSE GOLD



OCF BLACK CHROME



OIS BRUSHED PALE GOLD

OSR BRUSHED ROSE GOLD


OOO











Aerator Flow Rate (+/-10%)

1 BAR 3 BAR M16.5x1 2 BAR 19.7 I\m 33.1 l\m 27.5 l\m

Production

Ceramic headwork

Main body is a single casted pieces.

Material

Hoses

BRASS

According to CuZn40Pb3 (CW614N) Max Lead content: 2.5%

Flex inox G1/2" F G1/2" F L150

IB RUBINETTERIE s.p.a via dei Pianotti 3/5 25068 Sarezzo (BS) - Italy - T. +39 030 802101 F. +39 030 803097 info@weareib.it

P.IVA 01785230986 capitale sociale €420.000,00 i.v.


www.weareib.it







Elenco parti			
ELEM.	CODICE	NUMERO DI MAGAZZINO	QTÀ
1	AQ0013551	Handle's plug hot	1
2	AQ0009069	Cover Ø20 PLS	3
3	AQ0010985	Screw M4x12	3
4	AQ0010229	Washer Ø4	3
5	AC0003397	Lever Ø31.5 H42	3
6	AC0004500	Insert for handle	3
7	AT0004520	Rod M8x1 L68.5	3
8	AQ0004525	Grip handle	3
9	AC0004510	Domed nut	3
10	AC0007131	Bell Ø58.5 W26x19 H44.5	3
11	AQ0002135	Ceramic headwork 90° left	1
12	CC0002005	Built-in stopcocks G1/2"	2
13	AQ0010978	OR 17.46x2.62 NBR 70 SH	2
14	AC0012298	Spout's bell Ø58.5 Ø18.5 H44.5	1
15	AC0011996	Spout-out M18x1 M16.5x1 Ø18 L244	1
16	AQ0014729	Aerator cachè M16.5x1 neostrahl (01.5175.000)	1
17	AC0012299	Insert for spout-out G3/4" M18x1 H18	1
18	AQ0010972	OR 23x2 NBR 70 SH	1
19	AQ0013552	Handle's plug cold	1
20	AQ0003930	Ceramic headwork 90° right	1
21	AQ0013323	Neutral handle's plug	1
22	AS0009995	Bush for headwork W26 x 19 W22 x 19	1
23	AQ0010279	Diverter 2 in - 2 out complete short	1
24	AQ0013638	Handshower's round support	1
25	AQ0003120	Flex G1/2" F G1/2" L150	1
26	AQ0008031	Old America shower white	1







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.


Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





□ f P