

HERRICK

Descriptions

Product code CC1152PK15

Product description Silla Herrick gris oscuro

The structure of the Herrick chair is made out of plywood, with a darkened walnut wood finish. It has an upholstered back and seat in dark grey. This piece has a 50s-style silhouette and it can either be a chair for your dining room or a leisure chai

CN

Origin country

Dimensions

Difficilisions						
Height x Width x Depth (cm)	81 cm	Х	50 cm	x	56 cm	
Product weight (kg)	7,7 Kg					
Seat height (cm)	48					
Seat width (cm)	41					
Seat depth (cm)	41					
Armrest height (cm)						
Armrest width (cm)						
Backrest height (cm)	38					

Technical drawings



Features

Use (domestic/contract/office)	Domestic
Indoor (yes/no)	Yes
Alfresco (yes/no)	No
Outdoor (yes/no)	No
Stackable (yes/no)	No
Stacks up to	
Max. load (kg)	130
Adjustable height (yes/no)	No
Adjustable height mechanism description	N/A

Foldable (yes/no) No Swivel (yes/no) No Reclining (yes/no) No Armrest included (yes/no) No Padded (yes/no) Yes Footrest included (yes/no) No Fabric durability resistance (Martindale cycles)

>20.000 cycles

Water repellent (yes/no) No Stain resistant (yes/no) No Fire resistant (yes/no) No UV resistance level (1-5) Removable chair cover (yes/no) No N/A Removable cover parts description Adjustable feet (yes/no) No **Castors information** N/A Cushion included (yes/no) No Cushion removable cover (yes/no) N/A

Materials

Main material Upholstered Frame construction Steel

Main finishing Upholstered

Seat material details Fabric, Foam, Plywood

Backrest material details Fabric, Foam, Plywood

Armrest material details N/A

Fabric type & specifications Chenille 100% Polyester Fabric composition

Fabric grammage (g/m2) 280 Upholstery fill material Foam Foam density (kg/m3) 24 Steel Legs material

Legs finishing Powder coated painted

Plastic pad Feet pad type Cushion fabric type N/A

Cushion fabric composition

Cushion grammage (g/m2) Cushion fill material N/A

Cushion thickness (cm)


Assembly

Unpacking time (min) 5 Assembly required (yes/no) Yes Difficulty of assembly Easy People required 1 Assembly time (min) 10

Turn the seat upside down and tighten the screws. Check and classify all fittings Assembly suggestions

before starting the assembly. Assemble on a soft surface.

Assembly instructions





Care & Warranties							
General warnings	Do not place near direct sources of heat. Keep away from direct solar light. Do not use abrasive products like acetones, bleaches, solvents, etc. Sharp element can scratch the product surface.						
Specific use and care instructions	Clean the product with a wet cloth dampened in a mild cleaner and dry immediately. Dust it with a duster.						
Specific use and care instructions for outdoor	N/A						
Years of guarantee Made according to FSC certified (yes/no) PEFC certified (yes/no) FLEGT license (yes/no) Variation type Purposeful distressing type Additional information	2 EN 12520:2015 for household use seats Natural wood grain and/or Colour tone No distressing						
Packaging							
Units per lot Cbm (m3) / Gross weight (Kg) № of boxes	0,14 1	/	9,9				
Box 1 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	1 FULL ITE Chair He 55 0,140		67 9,9	x /	38 7,7		
Box 2 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)		x /		× /			
Box 3 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)		x /		x /			