

FORMWORK

FM2T10

Formwork Two Way Diverter Valve Trim for Thermostatic System with Metal Lever Handle



SHOWN IN FORMWORK TWO WAY DIVERTER VALVE TRIM FOR THERMOSTATIC SYSTEM WITH METAL LEVER HANDLE|

TECHNICAL DETAILS

Adjustable Shelves: N
Control Valve Rough-in Depth Maximum: 4 3/4"
Control Valve Rough-in Depth Minimum: 3 1/8"
Diverter Valve Rough-in Depth Maximum: 4 3/4"
Diverter Valve Rough-in Depth Minimum: 3 1/8"
Escutcheon Primary Material: Brass
Fittings Hole Diameter: 2 1/2"
Handle Turn Angle: Quarter Turn Each Way
Depth / Width: 1 3/4"
Height: 4 3/16"
Integrated Diverter: N
Integrated Spray: N
Length: 3 3/4"
Number of Handles: One
Pivot: N
Primary Material: Brass
Spout Swivel: N
Spray Included in Unit: N
Suggested Application: Bath

INSPIRATION

Sculptural forms that defy the ordinary. Unexpected geometry and the transition of the planes create a subtle but warm expression.

CODES & STANDARDS

Code # FM2T10X: Certified with cUPC, NSF, IAPMO, CSA

PRODUCT FEATURES


Lever Handles



FORMWORK

FM2T10


Formwork Two Way Diverter Valve Trim for Thermostatic System
with Metal Lever Handle




TOP VIEW SCALE: 3"=1'-0"



ISO VIEW SCALE: 3"=1'-0"



FRONT VIEW SCALE: 3"=1'-0"



SIDE VIEW SCALE: 3"=1'-0"