



TRES COMERCIAL, S.L.

C/ Penedés, 16-26 | Zona industrial, Sector A | 08759 Vallirana (Barcelona)

93 683 40 04 | comercial@tresgriferia.com

[www.tresgriferia.com](http://www.tresgriferia.com)

Certificate No.:

CC307253062022

Initial Certification:

01/08/2022

Issue Date:

01/01/2024

Expiry Date:

01/01/2029

## CERTIFICATE OF CONFORMITY

TRES COMERCIAL S.L., with registered office at C/ Penedès 16-26, Zona Industrial - Sector A, 08759 Vallirana (Barcelona), hereby declares under its sole responsibility that the sanitary tapware:

**Brand:** TRES  
**Model(s):** 30725306  
**Collection:** B-SYSTEM  
**Family:** Thermostatic

As the subject of this declaration, is produced under a quality management system in accordance with the UNE-EN ISO 9001:2015 standard (ER-1111/1999) for the production and assembly of sanitary tapware and accessories, and complies with the requirements of both national and European standards:

*Royal Decree 145/2023 of 28 February (industrial safety) Annex 1: 6. Sanitary tapware.*

*Royal Decree 3/2023 of 10 January regarding technical and sanitary criteria for drinking water quality, control, and supply.*



*EN-1111: Sanitary Tapware. Thermostatic mixers (PN 10). General technical specifications.*

*EN 248: Corrosion resistance and adhesion of surface coating.*

Characteristics and performance in the attached technical sheet.

Quality Department

 TRES COMERCIAL SL



## 30725306

### B-SYSTEM

### B-system 3-way concealed thermostatic shower mixer tap kit

- Concealed thermostatic body for horizontal installation included.
- Flow regulator and 3-way distributor.
- Square-round handle.
- Stainless steel concealed ceiling-mounted shower head with 2 stream types (rain/free flow). 405x405 mm.
- Wall-mounted support for hand shower with water supply.
- Anti-limescale hand showers: 96x110 mm. (3 stream types).
- Satin hose.



Chrome Finish



Cartridge reference: 29926828



Flow rate (l/min): 23



Distributor cartridge: 29903302



ABS hand shower



Long-lasting cartridge.



Connecting element: MURAL G1/2"




Acoustic group: IIA



Tres Instant: The thermostatic cartridge ensures a constant flow of water at the desired temperature, in spite of pressure or temperature changes.



Material: Low lead content brass



## 30725306

B-SYSTEM

### B-system 3-way concealed thermostatic shower mixer tap kit



New



Corrosion resistance



Stainless steel shower head

