

TARA Hand shower set with individual rosettes - Brushed Durabronz (23kt Gold)

TARA

27 802 892



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- WRAS 2307038

Intrinsic protection against back flow.

	Brushed Durabronz (23kt Gold)	27 802 892-28
	Chrome	27 802 892-00
	Chrome	27 802 892-00 0010
	Brushed Platinum	27 802 892-06
	Brushed Platinum	27 802 892-06 0010
	Platinum	27 802 892-08
	Platinum	27 802 892-08 0010
	Dark Chrome	27 802 892-19
	Dark Chrome	27 802 892-19 0010
	Brushed Durabronz (23kt Gold)	27 802 892-28 0010
	Matte Black	27 802 892-33
	Matte Black	27 802 892-33 0010
	Brushed Bronze	27 802 892-42 0010
	Brushed Bronze	27 802 892-42
	Brushed Champagne (22kt Gold)	27 802 892-46 0010
	Brushed Champagne (22kt Gold)	27 802 892-46
	Champagne (22kt Gold)	27 802 892-47 0010
	Champagne (22kt Gold)	27 802 892-47
	Brushed Chrome	27 802 892-93
	Brushed Chrome	27 802 892-93 0010
	Brushed Dark Platinum	27 802 892-99
	Brushed Dark Platinum	27 802 892-99 0010



TARA Hand shower set with individual rosettes - Brushed Durabronz (23kt Gold)

TARA

27 802 892

Recommended miscellaneous


Concealed wall elbow -

35 085 970 90




- max. recess depth 163 mm
- min. recess depth 90 mm

27 802 892
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



TARA Hand shower set with individual rosettes - Brushed Durabronz (23kt Gold)

TARA

27 802 892

Certificates

Belgaqua_21-024-2 LGA_29

WRAS_2307




TARA Hand shower set with individual rosettes - Brushed Durabross (23kt Gold)

TARA

27 802 892

Product version up to 6/3/2020

Product version from 6/3/2020





TARA Hand shower set with individual rosettes - Brushed Durabrass (23kt Gold)

TARA

27 802 892

Spare parts list

Product version up to 6/3/2020

Product version from 6/3/2020

No.	Item Number	Name	Quantity used	Delivery time
	28 450 892-28	connection	4	-

Spare part can no longer be ordered, please order the replacement item