

## BELLAGIO

ZB1660

Termostatico incasso doccia con 2 rubinetti d'arresto. / Built-in thermostatic shower mixer with 2 stop valves.



Termostatico incasso doccia da 1/2", con 2 rubinetti d'arresto.





1/2" built-in thermostatic shower mixer with 2 stop valves.

R97821

Parte incasso. / Built-in part.




## Finiture / Finishes

		C8		C40		C41
Cromo / Chrome	Nickel Lucido / Polished Nickel		Oro / Gold		Oro spazzolato / Brushed Gold	

## BELLAGIO

ZB1660


Disegno Complessivo / Overall Drawing



## BELLAGIO

ZB1660


Esplosi / Exploded



## BELLAGIO

### ZB1660 Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
1 RUBINETTO APERTO <i>P1</i>	13,2	18,4	22,7	26,2	29,2
2 RUBINETTO APERTI 2 TAPS OPENED <i>P2</i>	16,5	23,6	29	33,3	37,6
<i>P3</i>					
<i>P4</i>					
<i>P5</i>					



## BELLAGIO

### ZB1660 Pesì e Misure / Weights and Sizes

Peso ( Kg ) Weight ( lb )	2,64 ( Kg )	5,82 ( lb )
Volume test ( dc3 ) - ( in3 )	11,01 ( dc3 )	671,87 ( in3 )
h ( mm ) - ( in )	90,00 ( mm )	3,54 ( in )
L1 ( mm ) - ( in )	335,00 ( mm )	13,19 ( in )
L2 ( mm ) - ( in )	365,00 ( mm )	14,37 ( in )

