Paged

Fabric Sampler

Edition 01/25

Table of Content

Price groups

Ist group	Elegant Wish Arizona Luis Milton New Etna Inari Matt Velvet	3 5 7 9 11 13
2nd group	Himalaya Zoya Hazel Avena Nordic Strong	17 19 21 23 25 27
3rd group	RePlay Step Step Melange Valencia Salak Twig Estivo Neon Varenna Titan Wool	29 33 40 47 54 56 58 60 62 64 66
4th group	Main Line Flax Silvertex	68 74
Premium Group	Remix 3 Steelcut Trio 3	81 88

Elegant Wish

1st price group

Manufacturer

Davis

Composition

100% Polyester

Weight

480 g/m² +/-5%

Fire safety standards

EN1021 -1 BS5852: Part 1:1979, Ignition source 0 (Cigarette), CAL TB 117

Martindale Abrasion Test

>100.000

Pilling

Lightfastness


Additional Fabric Properties

Easy to clean

Manufacturer's website

www.davis.pl






Elegant Wish 1st price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!



04

Arizona

1st price group

Manufacturer

Elastron

Composition

Coating: 91% PVC + 9% PU Backing: 95% polyester + 5% cotton

Weight

980 g/mb/lm (+/- 5%)

Fire safety standards

BS 5852 Part 1; EN 1021-1/2; CA Tech. Bull. 117:2013/NFPA 260 - Cigarette Test

Martindale Abrasion Test

>800.000

Pilling

Lightfastness


Additional Fabric Properties

Easy to clean, antibacterial, urine resistant, resistant to hospital-grade disinfectants

Manufacturer's website

www.elastrongroup.com





Arizona

1st price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

Black Grey Ash Light grey

Luis

1st price group

Manufacturer

Davis

Composition

100% polyester

Weight

350 g/m² +/-5%

Fire safety standards

EN1021 -1, BS5852: Part 1:1979, Ignition source 0 (Cigarette), CAL TB 117

Martindale Abrasion Test

20.000-30.000

Pilling

Lightfastness

Additional Fabric Properties

Water repellent

Manufacturer's website

www.davis.pl





Luis 1st price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!



48

52

Milton New

1st price group

Manufacturer

Fargotex

Composition

97% polyester, 3% nylon

Weight

310 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

90.000

Pilling

Lightfastness

Additional Fabric Properties

Water repellent

Manufacturer's website

www.fargotex.pl



FARGOTEX

Milton New

1st price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!



13 20 18

Etna

1st price group

Manufacturer

Davis

Composition

100% PES (Polyester)

Weight

310 g/m² ± 5%

Fire safety standards

EN1021 -1, BS5852: Part 1:1979, Ignition source 0 (Cigarette), CAL TB 117

Martindale Abrasion Test

80.000-90.000


Pilling

Lightfastness

Manufacturer's website

www.davis.pl






Etna

1st price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!



24

85

Inari

1st price group

Manufacturer

Davis

Composition

100% PP (Polypropylene)

Weight

260 g/m² ± 5%

Fire safety standards

EN1021 -1, BS5852: Part 1:1979, Ignition source 0 (Cigarette), CAL TB 117

Martindale Abrasion Test

45.000-50.000


Pilling

Lightfastness

Manufacturer's website

www.davis.pl





Inari 1st price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

Matt Velvet

1st price group

Manufacturer

Davis

Composition

100% polyester

Weight

430 g/m² +/-5%

Fire safety standards

EN1021 -1, BS5852: Part 1:1979, Ignition source 0 (Cigarette), CAL TB 117

Martindale Abrasion Test

>100,000

Pilling

4-5

Lightfastness


Additional Fabric Properties

Water repellent

Manufacturer's website

www.davis.pl





Matt Velvet

1st price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!



Himalaya

2nd price group

Manufacturer

Symphony Mills

Composition

100% recycled polyester

Weight

500 g/m² +/-5%

Fire safety standards

CAL TB 117

Martindale Abrasion Test

100,000

Pilling

Lightfastness

Manufacturer's website

www. symphonymills.com





Himalaya 2nd price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!



606 602

Zoya 2nd price group

Manufacturer

Fargotex

Composition

100% polyester

Weight

390 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

50.000

Pilling

Lightfastness


4-5

Additional Fabric Properties

Easy to clean with water, pet-friendly fabric

Manufacturer's website

www.fargotex.pl



Zoya2nd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

Hazel

2nd price group

Manufacturer

Fargotex

Composition

100% recycled polyester

Weight

284 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

50.000

Pilling

Lightfastness

Additional Fabric Properties


Easy to clean with water, pet-friendly fabric, difficult liquid absorption

Manufacturer's website

www.fargotex.pl



Hazel 2nd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

Avena

2nd price group

Manufacturer

Fargotex

Composition

59% polyamide, 23% polyester, 13% viscose, 5% linen

Weight

550 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

50.000

Pilling

Lightfastness

Additional Fabric Properties

Easy to clean with water, difficult liquid absorption

Manufacturer's website

www.fargotex.pl



Avena 2nd price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!

Nordic

2nd price group

Manufacturer

Aqua Clean

Composition

50% polyester, 35% acrylic, 15% polyamide

Weight

410 g/m²

Fire safety standards

EN10211-2, BS5852 0-1

Martindale Abrasion Test

100.000

Pilling


Lightfastness

Additional Fabric Properties Aqua Clean, Safe Front, PFC free

Manufacturer's website

www.aquaclean.com





Nordic

2nd price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!

> 129 128 125

Strong

2nd price group

Manufacturer

Fargotex

Composition

100% polyester

Weight

381 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

50.000

Pilling

4-5

Lightfastness

Additional Fabric Properties

Easy to clean with water, pet-friendly fabric, virus protect, difficult liquid absorption

Manufacturer's website

www.fargotex.pl



Strong 2nd price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!



3rd price group

Manufacturer

Camira

Composition

100% recycled polyester

Weight

380 g/m² ±5%

Fire safety standards

EN 1021 - 1&2 (cigarette & match); BS 7176 Low Hazard; BS 5852 Ignition Source 5; BS 7176 Medium Hazard; DIN 4102 BI; NF D 60-013; ÖNORM B 3825 & A 3800-1 (over CMHR 58kg/m³ Foam); UNI 9175 Classe 1 IM; EN 13501-1 Adhered Class B, sl, d0; EN 13501-1 Un-adhered Class B, sl, d0; NF P 92-507 MI

Martindale Abrasion Test

≥100.000

Pilling

4

Lightfastness

4-6


Additional Fabric Properties

10-year warranty

Manufacturer's website

www.camirafabrics.com





RePlay 3rd price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.


RePlay 3rd price group




Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

> REP 21 REP 22 REP 23 REP 24

RePlay 3rd price group







Manufacturer

Gabriel

Composition

100% Trevira CS

Weight

470 g/lm

Fire safety standards

DIN 4102 - B1; NF P 92-503/504/505 M1; BS EN 1021 1&2 Cigarette and Match; BS 5852 Crib 5; ÖNORM A3800-BI-B3825-QI UK; FAR/JAR 25.853 (a) (i) (ii); AM 18 - NF D 60-013 (only for fabric); CA TB 117-2013; Class Uno UNI 9175 Class 11 EMME; DIN EN 13501-1 B-sl,d0; IMO MSC 307(88) Annex 1 part 8; IMO MSC 307(88) Annex I part 8 UK; MED Certificate IMO; MED Certificate IMO UK; CAN/ULC-S102.2; CAN/ULC-S109; NFPA 701

Martindale Abrasion Test

100.000

Pilling

4-5

Lightfastness

5-7


Additional Fabric Properties

10-year warranty

Manufacturer's website

www.gabrielfabrics.com







Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

> Step 65011 Step 65018 Step 65023 Step 65047

Step 3rd price group




Step 3rd price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

> Step 68159 Step 68161 Step 68162 Step 68163

Step 3rd price group





Step 68799

3rd price group

Manufacturer

Gabriel

Composition

100% Trevira CS

Weight

470 g/lm

Fire safety standards

DIN 4102 - BI; NF P 92-503/504/505 MI; BS EN 1021 1&2 Cigarette and Match; BS 5852 Crib 5; ÖNORM A3800-B1-B3825-Q1 UK; FAR/JAR 25.853 (a)(i)(ii); AM 18 - NF D 60-013 (only for fabric); CA TB 117-2013; Class Uno UNI 9175 Class 11 EMME; DIN EN 13501-1 B-sl,d0; IMO MSC 307(88) Annex 1 Part 8; MED Certificate IMO; MED Certificate IMO UK; CAN/ULC-S102.2; CAN/ULC-S109; NFPA 701

Martindale Abrasion Test

100.000

Pilling

4-5

Lightfastness

5-7

Additional Fabric Properties

10-year warranty

Manufacturer's website

www.gabrielfabrics.com





3rd price group



Step Melange 60345



Step Melange 60004



Step Melange 61104



Step Melange 61287



Step Melange 61149



Step Melange 61289



Step Melange 61286



Step Melange 61288



Step Melange 61293



Step Melange 60011



Step Melange 66152



Step Melange 66148

3rd price group



Step Melange 66265



Step Melange 61152



Step Melange 60092



Step Melange 66019



Step Melange 61291



Step Melange 60090



Step Melange 60021



Step Melange 62143



Step Melange 63136



Step Melange 62144



Step Melange 62146



Step Melange 62057

that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

Discover a complete collection of materials

3rd price group



Step Melange 61103



Step Melange 63139



Step Melange 63082



Step Melange 63138



Step Melange 63137



Step Melange 63075



Step Melange 64270



Step Melange 64267



Step Melange 61151



Step Melange 64178



Step Melange 64179



Step Melange 64013

Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

3rd price group









Step Melange 65047

Step Melange 65023

Step Melange 66151









Step Melange 66150

Step Melange 66149

Step Melange 65018

Step Melange 65011









Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.


Step Melange 67004

Step Melange 67135

Step Melange 66018

Step Melange 66263

3rd price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.










Step Melange 68161

Step Melange 68121

Step Melange 68163

Step Melange 68162


3rd price group



Step Melange 68298



Step Melange 68299



Step Melange 68300



Step Melange 68119



Step Melange 62073



Step Melange 68301



Step Melange 68165

3rd price group

Manufacturer

Spradling

Composition

Coating: 100% Vinyl Backing: 100% Polyester Hi-Loft 2

Weight

650 gr/m²

Fire safety standards

AT: ÖNORM A 3800 Teil 1, Qualmbildungsklasse Q1 - weakly smoking; AT: ÖNORM B 3825, Group 1 - non-flammable behavior; DE: DIN 4102 B2; EU: ECE Regulation No.118:03 (R118.02 Annexes 6, 7 & 8); EU: EN 1021 Part 1 & 2; EU: EN 71-2:2006+A1:2007 - Toy Safety - Part 2: Flammability; FR: NF P 92-503/M2; IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2; IT: UNI 9175 (1987) / UNI 9175/FAI (1994) Class 1.IM (UNO I EMME); (MED) Marine Equipment Directive (current valid version); UK: UKCA; US: CAL TB 117-2013, Section E; US: ASTM E 84 Adhered - Class 1; US: FAR 25/853; US: FMVSS 302; US: NFPA 260 - Class 1

Martindale Abrasion Test

100.000

Pilling

Lightfastness

4-5


Additional Fabric Properties

PERMABLOK3® (vinyl antibacterial, antiviral coating), EN 71-3 toy safety (migration of certain elements), Crack resistance at low temperatures -23°C, Fungal protection, Antibacterial protection, Antifungal protection

Manufacturer's website

www.gabrielfabrics.com





3rd price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

> Leinen Champagne Beige Cashmere

3rd price group



3rd price group



3rd price group



3rd price group



3rd price group



Salak

3rd price group

Manufacturer

Dekoma

Composition

91% polyester, 9% viscose

Weight

363 g/m²

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette); US Cal. Bull. 117; NFPA 260

Martindale Abrasion Test

30.000

Pilling

4-5

Lightfastness

Manufacturer's website

www.dekoma.eu





Salak 3rd price group










24 sesame

28 pheasant

33 midnight

09 apricot



18 shark

Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!

Twig 3rd price group

Manufacturer

Fargotex

Composition

100% recycled polyester

Weight

318 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

40.000

Pilling

Lightfastness

Additional Fabric Properties

Easy to clean with water, pet-friendly fabric, difficult liquid absorption

Manufacturer's website

www.fargotex.pl







Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!

Estivo

3rd price group

Manufacturer

Fargotex

Composition

40% cotton, 25% viscose, 10% linen, 20% acrylic, 5% polyester

Weight

548 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

35.000

Pilling


Lightfastness

Manufacturer's website

www.fargotex.pl



Estivo 3rd price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!

Neon

3rd price group

Manufacturer

Fargotex

Composition

66% acrylic, 34% polyester

Weight

570 g/m² +/-5%

Fire safety standardsBS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

40.000

Pilling

Lightfastness

Additional Fabric Properties


Easy to clean with water, Reduced fluid absorption

Manufacturer's website

www.fargotex.pl



Neon 3rd price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!

Varenna

3rd price group

Manufacturer

Aqua Clean

Composition

80% polyester, 16% modacrylic, 4% viscose

Weight

432 g/m²

Fire safety standards

EN10211-2; BS5852 0-1

Martindale Abrasion Test

≥100.000

Pilling

Lightfastness


Additional Fabric Properties

Aqua Clean, Safe Front, PFC free

Manufacturer's website

www.aquaclean.com






Varenna

3rd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!



105 62

Titan

3rd price group

Manufacturer

Aqua Clean

Composition

73% polyester, 19% modacrylic, 8% cotton

Weight

421 g/m²

Fire safety standards

EN10211-2; BS5852 0-1

Martindale Abrasion Test

60.000

Pilling

5

Lightfastness

Additional Fabric Properties

Aqua Clean, Safe Front, PFC free

Manufacturer's website

www.aquaclean.com





Titan3rd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!



250 30

Wool

3rd price group

Manufacturer

Dekoma

Composition

70% recycled wool, 20% polyester, 5% polyamide, 5% other fibers

Weight

325 g/m²

Fire safety standards

EN1021 1-2; BS5852 0-2; US Cal. Bull. 117

Martindale Abrasion Test

100.000

Pilling

4-5

Lightfastness

4-5

Manufacturer's website

www.dekoma.eu





Wool 3rd price group



48 storm

41 sorbet

Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!

17 biscuit

4th price group

Manufacturer

Camira

Composition

75% virgin wool, 25% flax

Weight

437 g/m² ±5%

Fire safety standards

EN 1021 - 1&2 (cigarette & match); BS 7176 Low Hazard; BS 5852 Ignition Source 5; BS 7176 Medium Hazard; NF D 60-013; ÖNORM B 3825 & A 3800-1 (58kg/m³ CMHR Foam); UNI 9175 Classe 1 IM; BS 476 Part 7 Class 1 (Adhered); EN 13501-1 Adhered Class B, sl, d0; BS 5867-2: Type B Curtains & Drapes; The Furniture and Furnishing (Fire Safety) Regulations 1988 (UK domestic cigarette and match); IMO FTP Code (Part 8)

Martindale Abrasion Test

≥50.000

Pilling

3-4

Lightfastness

4-6

Additional Fabric Properties

10-year warranty

Manufacturer's website

www.camirafabrics.com





4th price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

> MLF 46 MLF 40 MLF 03 MLF 47

4th price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

MLF 22 MLF 34 MLF 37 MLF 34

4th price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

> MLF 32 MLF 18 MLF 29 MLF 56

4th price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

> MLF 20 MLF 12 MLF 60 MLF 23

Main Line Flax

4th price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.



Silvertex

4th price group

Manufacturer

Spradling

Composition

Coating: 100% Vinyl Backing: 100% Polyester Hi-Loft 2

Weight

685 g/m²

Fire safety standards

AT: ÖNORM A 3800 Part 1, Smoke Classification Q1 - Low Smoke Emission; AT: ÖNORM B 3825, Group 1 - Flame Retardant Behavior; DE: DIN 4102 B2; EU: ECE Regulation No.118:03 (R118.02 Annexes 6, 7 & 8); EU: EN 1021 Part 1 & 2; EU: EN 71-2:2006+A1:2007 - Toy Safety - Part 2: Flammability; FR: NF P 92-503/M2; IMO FTP 2010 Code MSC.307 (88) Part 8 Sections 3.1 & 3.2; IT: UNI 9175 (1987) / UNI 9175/ FAI (1994) Classe 1.IM; (MED) Marine Equipment Directive (current valid version); UK: UKCA; US: CAL TB 117-2013, Section E: US: FAR 25/853; US: FMVSS 302; US: NFPA 260 - Class 1

Martindale Abrasion Test

300.000

Pilling

Lightfastness

Xenon Test (DIN 54004): 7


Additional Fabric Properties

PERMABLOK3® (antibacterial and antiviral vinyl coating), UV Resistance: ISO 105 B04 ≥ 4/5 (Grey Scale), UV Resistance: ISO 105 B02 ≥ 7/8 (Blue Wool Scale), EN 71-3 Toy Safety (Migration of Certain Elements), Cold Crack Resistance: -29°C, Antifungal Protection, Antibacterial Protection, Stain-Resistant Finish, Mold-Resistant Backing and Surface Layer, Resistant to Sulfide Stains, Antistatic Finish

Manufacturer's website

www.spradling.eu







Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

> Sandstone Shiitake Taupe Luggage



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

> Melon Camel Avocado Lotus



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

> Skylight Hunter Sage Petrol



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

> Whale Titanium Mizzle Aluminium



Black

Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

Carbon

Remix 3

Premium price group

Manufacturer

Kvadrat

Composition

90% new worsted wool, 10% nylon

Weight

420 g/lm

Fire safety standards

NF D 60 013; US Cal. Bull. 117-2013; EN 1021-1/2; IMO FTP Code 2010 Part 8; ÖNORM BI/QI; GB 50222 BI with treatment (Chinese); BS 5852 Part 1; ASTM E84 Class A Adhered; UNI 9175 1IM; NFPA 260; AS/NZS 1530.3; AS/NZS 3837 Class 2; EN 13501 B-s2, d0 with treatment; IMO FTP Code 2010 Part 7 with treatment; SN 198 898 5.3 with treatment; ASTM E84 Class A Unadhered; BS 5852 Crib 5 with treatment

Martindale Abrasion Test

100.000

Pilling

4

Lightfastness

6


Additional Fabric Properties

10-year warranty

Manufacturer's website

www.kvadrat.dk/en









Fabrics from this collection are priced individually to provide you with an offer perfectly tailored to your needs!

> 0346 0356 0362 0373









Fabrics from this collection are priced individually to provide you with an offer perfectly tailored to your needs!

0962 0973 0982 0996

Premium price group

Manufacturer

Kvadrat

Composition

90% new worsted wool, 10% nylon

Weight

770 g/lm

Fire safety standards

NF D 60 013; US Cal. Bull. 117-2013; EN 1021-1/2; ASTM E84 Class B Adhered; IMO FTP Code 2010 Part 8; ÖNORM B1/Q1; BS 5852 Part 1; UNI 9175 1IM; NFPA 260; AS/NZS 1530.3; AS/NZS 3837 Class 2; BS 7176 Low Hazard; ASTM E84 Class B Unadhered; SN 198 898 5.3 with treatment; BS 5852 Crib 5 with treatment

Martindale Abrasion Test

100.000

Pilling

Lightfastness

6-7


Additional Fabric Properties

10-year warranty

Manufacturer's website

www.kvadrat.dk/en





Premium price group



Fabrics from this collection are priced individually to provide you with an offer perfectly tailored to your needs!

> 0213 0226 0236 0246

Premium price group



Fabrics from this collection are priced individually to provide you with an offer perfectly tailored to your needs!

> 0426 0436 0446 0453

Premium price group




Premium price group




Fabrics from this collection are priced individually to provide you with an offer perfectly tailored to your needs!

> 0865 0883 0906 0916

Premium price group





Our experts are happy to help you choose the perfect fabric for your project.

We collaborate with many fabric manufacturers, ensuring a wide range of options. If you have any questions don't hesitate to contact us.

> The fabrics shown in the pictures are for reference purposes only and do not constitute an offer as defined by applicable law. Actual colors and textures of the fabrics may vary. Fabric selection should be based solely on samples, swatches, or catalogues provided for this purpose. Slight shade variations between different production batches are permissible.



pagedfurniture.com

Paged