

VAIA Concealed thermostat with one function volume control - Brushed Dark Platinum

VAIA

36 425 809



- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS 1906098

	Brushed Dark Platinum	36 425 809-99
	Chrome	36 425 809-00
	Brushed Platinum	36 425 809-06
	Platinum	36 425 809-08
	Dark Chrome	36 425 809-19
	Brushed Durabronz (23kt Gold)	36 425 809-28
	Brushed Bronze	36 425 809-42
	Brushed Champagne (22kt Gold)	36 425 809-46
	Champagne (22kt Gold)	36 425 809-47

Required miscellaneous



Concealed thermostat with built-in isolators - 35 426 970 90
 ●max. recess depth 136 mm
 ●min. recess depth 80 mm

Required miscellaneous



Concealed thermostat - 35 425 970 90
 ●max. recess depth 136 mm
 ●min. recess depth 80 mm

Recommended miscellaneous




xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous




xGRID Installation track 555 mm - 12 360 970 90

36 425 809
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



VAIA Concealed thermostat with one function volume control - Brushed Dark
Platinum

VAIA

36 425 809


Certificates

WRAS_1906

LGA_19

LGA_19

36 425 809





VAIA Concealed thermostat with one function volume control - Brushed Dark
Platinum

VAIA

36 425 809

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 90 03 166 00 90	top	31	2