



Cooker hob Ognidove 5122 240

Cooker hobs

Code: 5122 240



DETAILS


Coloring	Black and white
Material	Corian glaciar + ceramic glass
Supply	230V - 50.60 Hz
Edge/Installation Type	Freestanding
Dimensions	380x520 mm
Base size	40cm
Heating element	Two zones
Down	Ø 160 mm-1.200 (1.400)* W
Notes:	Sharp edges Included: Schuko electric plug



Total power	3.520 W
Up	Ø 200 mm-2.300 (3.000)* W
Power settings	9 power settings per zone + Powerboost
Safety	Safety equipment
Туре	Induction Hob
Type of commands	Touch Control
FEATURES	
End-of-cooking programming	All operations are programmed by means of the touch-control on the glass itself. Each cooking plate is capable of independent programming, and thus the possibility to set different cooking times.
Pot detector	All induction cooker hobs detect the pot resting on them, but they also calculate the area they cover. This system allows the energy to be used even more efficiently. Moreover, the plates switch off automatically when the pot is removed.
Powerboost	Booster function provides increased power to the selected plate. In particular, when the Booster is activated, the plate works for ten minutes at a very high power that allows to heat quickly large quantities of water.
Safety	All electric cooker hobs feature the most modern and sophisticated safety protections: Centralised power-off function; Child-proof safety lock; Residual heat warning lights. Induction models feature the following functions: Safety System that turn off the hob in the absence of the pot; Overflow detector that automatically turns off the plate in case of liquid overflow; Automatic deactivation to prevent accidents caused by forgetfulness.
Smart fan system	Correct ventilation is essential for the induction hob to function in the best possible way. The Foster system automatically regulates the amount of ventilation to suit the temperatures reached.



TECHNICAL DATA





OPTIONAL ACCESSORIES



Induction Pro - Cookware set -8pcs 8210 008