

## Hood Stripe 2450 090

Hoods

Code: 2450 090

Code: 2450 090 corpo cappa black mirror

Code: 2454 000 kit camino telescopico



### DETAILS

Coloring Black Mirror

---

Material Stainless steel

---

Texture Satin Finish - tempered glass

---

Chimney height Aspiring mode: 320-500 mm / filtering mode: 370-560 mm

---

Energy class A

---

Product details Telescopic chimney opz

---

Grease filters 5 grease filters in stainless steel

---

Operation Suction hood (filtering mode with optional carbon filters)

---

Air exhaust hole  $\varnothing$  120/150 mm

---

Lighting Lighting 2x2,1 W LED (4.000 kelvin)

---

Air flow rate 725mc/h

---

Motor power 175W

---

Hood type Wall-mounted suction hood

---

Type of commands Touch Control

---

Suction speed 4 operating speeds

---

Notes: Fume exhaust ducts must have an internal diameter not lower than 120 mm

---

## FEATURES

**Auto delayed shutdown** All the models with electronic interface can be programmed to turn off the suction at a postponed moment, so as to prolong the aeration of the room even after the cooking has been completed.

---

**Auto mode function** With the Auto function the hood has temperature sensors and it can automatically set the suction power according to the heat developed by the cooker hob underneath.

---



**Led lighting** Particular attention to energy saving with LED lighting systems. They assure a 10 times lower consumption and a 10 times longer duration. Our LED lights are designed to create an adequate comfort and safety in the cooking area.

---

**Steel filters** Where the filter is in plain sight, the aluminium filtering element is covered in stainless steel. This solution improves the look and increases the durability of the product.

---

## TECHNICAL DATA




## OPTIONAL ACCESSORIES




2454 000\_telescopic chimney kit




Carbon filters kit 9700 524



Collector for 2 pipes 2523 000



Collector for 3 pipes 2524 000



Collector for 4 pipes 2525 000



Flexible silencing canalization  
9700 602



Flexible silencing canalization  
9700 603