

Collection

## **HERMES ELLE**

Article

# HL800\_2

Description

Shower column with mixer and shower kit.

**Box Dimensions** Weight 1003x520x130 mm 10 kg

Finishes

● CC CHROME PL PLATINUM

SS BRUSHED NICKEL

ON NATURAL BRASS

RS ROSE GOLD

OSR BRUSHED ROSE GOLD

ONP MATT BLACK

OOO

OCF BLACK CHROME

OS BRUSHED GOLD


OCS BRUSHED BLACK CHROME

RR
ANTIQUE
COPPER

BB ANTIQUE BRONZE

OIS BRUSHED PALE GOLD





Ceramic headwork

Hose G1/2" F G1/2" cone L150

Flow Rate (+/-10%) Aerator

1 BAR 3 BAR 2 BAR 8 I\m 14.5 l\m 12 I\m

Production

Material

Main body is a single casted pieces.

**BRASS** 

According to CuZn40Pb3 (CW614N) Max Lead content: 2.5%









3	CODICE	ELENCO PARTI		
1 2 3		DESCRIZIONE	QTÀ	
3	AQ0013551	Handle's plug hot	1	
3	AQ0009069	Cover Ø20 PLS	2	
4	AQ0010985	Screw M4x12	2	
	AQ0010229	Washer for M4	2	_
	AC0003397	Lever Ø31.5 H42	2	_
	AC0004500	Insert for handle	2	
	AT0004520	Rod M8x1 L68.5	2	
	AQ0004525	Grip handle	2	
	AC0004510	Domed nut	2	
	AC0003100	Cap for headwork Handle's plug cold	2	
	AQ0013552 AC0003160		1	
	AC0003160 AC0006778	Plug Lever for deverter	1	
	AQ0006931	Pin M8x16	1	
	AC0006777	Lever for deviator	1	-
	CPHR800CC-21	Pre mounted shower	1	- IIII
	AS0008071	Diverter's nut W22x19	1	-
	AQ0009385	OR 18x2.2 NBR 70 SH	2	- III
	AQ0009383 AQ0006645	OR 7.66x1.78 NBR 70 SH	2	
	AS0008070	Diverter commander Ø19 H42.2	1	(21)
	CC0001540	Body bath mixer	1	- III
	AQ0002135	Ceramic headwork 90° left	1	- III
	AQ0002133 AQ0003930	Ceramic headwork 90° right	1	
	AQ0006997	OR 18x2 NBR 70 SH	1	1
	AC0016976	Shower connection 21x19 G1/2" H20	1	† <b>   </b>
	AC0000710	Fixing nut G3/4" H14 CH30	2	1 <b>III</b>
	AQ0004600	OR 15.6x1.78 NBR 70 SH	2	1 <b>III</b>
	AN0008067	Threaded connectiong piece M18x1.5 H28.6	2	
	AQ0009254	OR 9x3 NBR 70 SH	2	
	AS0008069	Diverter's valve Ø19 H44	1	
6.15	AS0008068	Junction W21x19 G3/4" L18.8	1	
17	AQ0000530	Rosette kit with eccentric and rubber	2	
18	AQ0013762	Shower arm	1	
	AQ0014578	Handshower's support	1	
	AQ0008031	Old America shower white	1	20)
	AQ0010009	Rubber packing G3/4" 24x16x3	2	
22	AQ0003120	Hose G1/2" F G1/2" cone L150	1	
			(1	18 (6.15)
				16.15
			(1	16.15
			(1	(6.15) (16.2) (16.13) (16.14)
			(1	16.15 16.2 16.13 16.14 16.13 16.3 (16.2) (14
				16.15 16.2 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13
		17 (16.12) (16.11) (1	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	16.15 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.15 16.15 16.16 16.17 16.17 16.18 16.19 16
		17 (16.12) (16.11) (1	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	16.15 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13
		17 16.12 16.11 (1	(i) (i) (i) (i) (i) (i)	16.15 16.2 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.15 16.





#### WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

### The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

#### Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





F f P