




GLOW

product code	CC0547PR14
product description	GLOW Table Ø120 eucalyptus natural poly-cement l gre Table with solid eucalyptus structure. With 4 layers of PU coating for long UV protection and durability. Top in poly-cement Superstone. For indoor and outdoor under cover use.

product sizes

height x width x depth (cm)	76	x	120	x	120
product weight (Kg)	29,2				

technical drawings



product features


use (domestic/office)	Domestic
applicance (inner/outer)	Outer under cover
extendible (yes/no)	No
adjustable height (yes/no)	No
foldable (yes/no)	No
up to seats	6
max. load (Kg)	60
top material	MDF and eucalyptus wood (Eucalyptus Grandis) reinforcement
top finishing	Superstone finishing (composed by cement, stone powder and refined ores)
top thickness	12 mm
leaf material	
leaf finishing	
number of leaves	
stored inside (yes/no)	No

legs material	Eucalyptus wood (Eucalyptus Grandis)
legs finishing	Brushed with grey washed. PU lacquered finishing (4 layers to make it UV resistant)
feet protection (yes/no)	Yes
adjustable feet (yes/no)	No
RAL Specifications	
size and shape variation (yes/no)	No
color variation (yes/no)	No
other details	
general warnings	Do not use abrasive products like acetones, bleaches, solvents, etc. To extend the durability of wooden outdoor furniture please follow the instructions below:
specific use and care instructions	Clean with a mild soapy solution and dry immediately. We strongly recommend varnishing/re-staining the wood regularly (once a year) to prevent dryness, cracks and moisture absorption.
specific use and care instructions for outdoor furniture	Store the furniture in a dry indoor place. If you want to leave it outdoors, protect it with a waterproof cover in autumn winter and rainy season.
years of guarantee made according to	2
good to know	Wood origin country: Uruguay. Fittings material: Stainless steel. Superstone is weather resistant, fire resistant, shatter resistant and environmental friendly.

assembly

assembly required (yes/no)	Yes
difficulty of assembly (hard/medium/easy)	Easy
assembly time (min)	20
people required	2
assembly suggestions	Put the top upside down and screw the legs

assembly instructions



CC054T

CC054T

packaging

units per lot	1
cbm (m3) / gross weight (Kg)	0,321 / 33,2
n° of boxes	1

box 1	1
description	FULL ITEM
description box	GLOW Table Ø120 eucalyptus natural poly-cement I gre
height x width x depth (cm)	19 x 130 x 130
cbm (m3) / gross weight (Kg) / net weight (Kg)	0,321 / 33,2 / 29,2

box 2	
description	
description box	
height x width x depth (cm)	x x
cbm (m3) / gross weight (Kg) / net weight (Kg)	/ /

box 3	
description	
description box	
height x width x depth (cm)	x x
cbm (m3) / gross weight (Kg) / net weight (Kg)	/ /