

EPLUS collection



Mama Design

ceiling recessed



e2 plus ceiling recessed

Recessed ceiling or projector for indoor lighting with a LED light source. The cylindrical body is removable from the recession in the false ceiling and, once extracted, turns into a projector that can be oriented and tilted as desired. Available in medium or wide beam optics. Thanks to its versatility, the product is ideal both as a service light and to highlight architecture and furnishing elements.



e4 plus ceiling recessed



e2 plus ceiling recessed



e4 plus ceiling recessed




e2plus ceiling recessed

collection




E2 Plus ceiling recessed

IP20
ø 35 h. 90 mm



E4 Plus ceiling recessed

IP20
ø 65 h. 112 mm




E2 Plus application



drywall



reinforced concrete



plaster

E4 Plus application



drywall


details

Die-cast structure made of aluminium alloy with very low copper content Heat sink made of black anodized extruded aluminium. A4 Stainless steel screws. Nylon spring slider. High luminous efficiency anodized PMMA reflector and Nylon shutter loaded with glass fibre.

standard finishes




.26 black



.27 white

E2 PLUS ceiling recessed



WHITE LED

3000K CRI>90
250 mA
power supply to be ordered separately

2700K available on request



7W | 330 lm (*)
orientable 320°
tiltable 90°


spot
23°
2060 cd/klm



7W | 510 lm (*)
orientable 320°
tiltable 90°

medium
39°
5650 cd/klm

E4 PLUS ceiling recessed



WHITE LED

3000K CRI>90
500 mA
power supply to be ordered separately

2700K available on request



17W | 650 lm (*)
orientable 320°
tiltable 90°

spot
23°
1800 cd/klm



17W | 1130 lm (*)
orientable 320°
tiltable 90°

medium
47°
5190 cd/klm

(*) Real Data