

TRES COMERCIAL, S.L.

C/ Penedés, 16-26 | Zona industrial, Sector A | 08759 Vallirana (Barcelona) 93 683 40 04 | comercial@tresgriferia.com www.tresgriferia.com
 Certificate No.:
 CC00625005AC2021

 Initial Certification:
 17/06/2021

 Issue Date:
 01/01/2024

 Expiry Date:
 01/01/2029

CERTIFICATE OF CONFORMITY

TRES COMERCIAL S.L., with registered office at C/ Penedès 16-26, Zonalndustrial - Sector A, 08759 Vallirana (Barcelona), hereby declares under its sole responsibility that the sanitary tapware:

Brand: TRES

Model(s): 00625005AC
Collection: THERM-BOX
Family: Thermostatic

As the subject of this declaration, is produced under a quality management system in accordance with the UNE-EN ISO 9001:2015 standard(ER-1111/1999) for the production and assembly of sanitary tapware and accessories, and complies with the requirements of both national and European standards:

Royal Decree 145/2023 of 28 February (industrial safety) Annex 1: 6. Sanitary tapware.

Royal Decree 3/2023 of 10 January regarding technical and sanitary criteria for drinking water quality, control, and supply.

EN-1111: Sanitary Tapware. Thermostatic mixers (PN 10). General technical specifications.


EN 248: Corrosion resistance and adhesion of surface coating.


Characteristics and performance in the attached technical sheet.

Quality Department

≅ TRES COMERCIAL SL

TR≅S





00625005AC

THERM-BOX

Therm-box 2-way concealed thermostatic tap kit for showers

- · Concealed body included.
- · Square handle with temperature control. 2-way ceramic distributor.
- \cdot Concealed stainless steel ceiling- mounted shower head: 380x380 mm.
- · Wall-mounted support for hand shower with water supply.
- · Anti-limescale brass hand shower.
- · Sat in hose.



Steel Finish



Cartridge reference: 29926828



Flow rate (I/min): 20



Distributor cartridge: 29903302



Brass hand shower



Long-lasting cartridge.



Connecting element: MURAL G1/2"



Tres Instant: The thermostatic cartridge ensures a constant flow of water at the desired temperature, in spite of pressure or temperature changes.



Material: Low lead content brass




New



Corrosion resistance

TR≅S



00625005AC

THERM-BOX

Therm-box 2-way concealed thermostatic tap kit for showers



