






## DORNBACHT PIUR Single-lever mixer - Soft Black

---

33 900 210





- 195mm projection
- max. flow 6.7 l/min at 3 bar flow pressure
- pivotable spout 360°
- air-enriched flow

|  |                |               |
|--|----------------|---------------|
|  | Soft Black     | 33 900 210-69 |
|  | Chrome         | 33 900 210-00 |
|  | Brushed Nickel | 33 900 210-70 |




## DORNBACHT PIUR Single-lever mixer - Soft Black

33 900 210



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen

XP P 41-280



## DORNBACHT PIUR Single-lever mixer - Soft Black

---

33 900 210

### Certificates

---

ACS\_23 ACC NY

AbP\_10


WRAS\_2311



# DORNBACHT PIUR Single-lever mixer - Soft Black

33 900 210

Parts for other finishes can be found here: [Chrome](#)





## DORNBACHT PIUR Single-lever mixer - Soft Black

---

33 900 210

### Spare parts list

| No. | Item Number        | Name  | Quantity used | Delivery time |
|-----|--------------------|-------|---------------|---------------|
|     | 90 28 22 380 00-69 | spout | 9             | 2             |