

pendant

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Description

Suspension lamp with a curved metallic body, cylindrical aluminium heads and acrylic (PMMA) lens diffusers. Transparent nylon cables. Adjustable height.

Create your design combining two models.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information


Product Code	Lamp
T-3535-M	LED 2x6,4W (3000 °K / Ang. 120° / >80 CRI /350mA) Universal Voltage (included) Typ 2x550 lumens / Dimmable Triac A
T-3535-W	LED 2x6,4W (2700 °K / Ang. 120° / >80 CRI /350mA) Universal Voltage (included) Typ 2x415 lumens / Dimmable Triac A

Finish Body

- 26 BLK Black
- CUSTOM (see below)

Finish Head

- 26 BLK Black
- 61 S GLD Satin Gold
- CUSTOM (see below)




Product Code	Lamp
T-3536-M	LED 3x6,4W (3000 °K / Ang. 120° / >80 CRI /350mA) Universal Voltage (included) Typ 3x550 lumens / Dimmable Triac A
T-3536-W	LED 3x6,4W (2700 °K / Ang. 120° / >80 CRI /350mA) Universal Voltage (included) Typ 3x415 lumens / Dimmable Triac A

Finish Body

- 26 BLK Black
- CUSTOM (see below)

Finish

- 26 BLK Black
- 61 S GLD Satin Gold
- CUSTOM (see below)




Date	Type
Project	
Location	
Model #	Quantity
Specifier	

pendant

Possible compositions

Drawings below show examples of possible compositions but do not show all possibilities and exact dimensions. They are for illustration purposes only.




Ordering information

Product Code	Lamp
T-3535C-M	LED 2x6,4W (3000 °K / Ang. 120° / >80 CRI /350mA) Universal Voltage (included) Typ 2x550 lumens / Dimmable Triac A
T-3535C-W	LED 2x6,4W (2700 °K / Ang. 120° / >80 CRI /350mA) Universal Voltage (included) Typ 2x415 lumens / Dimmable Triac A

Finish Body	
26 BLK	Black
CUSTOM	(see below)


Finish Head	
26 BLK	Black
61 S GLD	Satin Gold
CUSTOM	(see below)



Product Code	Lamp
T-3536C-M	LED 3x6,4W (3000 °K / Ang. 120° / >80 CRI /350mA) Universal Voltage (included) Typ 3x550 lumens / Dimmable Triac A
T-3536C-W	LED 3x6,4W (2700 °K / Ang. 120° / >80 CRI /350mA) Universal Voltage (included) Typ 3x415 lumens / Dimmable Triac A

Finish Body	
26 BLK	Black
CUSTOM	(see below)

Finish Head	
26 BLK	Black
61 S GLD	Satin Gold
CUSTOM	(see below)



pendant

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Product Code	Accessory
■ Canopy for multiple connections	■ 1 Driver (up to 4x6,4W) ■ 2 Drivers (up to 4x6,4W + 4x6,4W) (fit in CANOPY)
■ Cable entry disk for dry wall REMOTE DRIVER	■ 1 Driver (up to 4x6,4W) ■ 2 Drivers (up to 4x6,4W + 4x6,4W) (fit in CANOPY)

Finish

- 26 BLK
- 74 WH

- 26 BLK
- 74 WH



SPECIAL REQUIREMENTS

Optional Finishes and shades (consult us for pricing and availability)

Code	Finish	Code	Finish	Code	Finish
■ 10 SLV AN	Silver anodized	■ 38 GR	Silver gray	■ 64 BLK L	Black lacquered, glossy
■ 11 BL AN	Blue night anodized	■ 40 GRN TQS	Pastel Turquoise RAL 6034	■ 70's and 27 WH S	White: satin, smooth RAL 9003
■ 15 RED	Red anodized	■ 41 GRN PL	Green Pale RAL 6021	■ 70's and 27 WH M	White: matte, rough RAL 9010
■ 16 BLK AN	Black anodized	■ 42 YLW	Yellow RAL 1021	■ 70's and 27 WH L	White: glossy, smooth RAL 9003
■ 21 GLD	24 carat gold plated	■ 43 BRA	Brass matte	■ 85 CN	Cinder
■ 22 CH	Polished chrome	■ 44 CP	Copper	■ 92 MNK	Mink (NCS S5005 Y20R)
■ 23 BLK P	Black Pearl	■ 47 NI M	Nickel matte	■ 93 GR LM	Grey Limestone (RAL 7013)
■ 26 BLK	Black lacquer satin	■ 48 RED	Red, glossy RAL 3002	■ 97 GR CHG	Grey Champagne
■ 36 BR	Bronze (glossy antique brass)	■ 56 BLK	Black matte (rough)	■ 98 RED	Red lacquered, matte RAL 3000
■ 37 NI	Brushed Nickel	■ 61 S GLD	24 carat satin gold		

Custom finishes and options

All RAL finishes available. Custom plated finishes available (T-3535 only), consult our offices.

Special instructions
