

ASHTRAYS: ONDA



| Categories: [ASHTRAYS](#), [URBAN DESIGN](#)

PRODUCT DESCRIPTION

The ashtray ONDA is made in steel of 15/10 thickness. The upper part is made of a calendered sheet, welded to the structure through continuous welding, later polished. With a 50° inclination, a pierced net of dimensions 180x120 mm, with holes of 5 mm diam., is welded to the front part. It also comes with 5 laser-cut holes of 19 mm, under which there is a slot of dimensions 140x10 mm to keep the ashes. On the lower part there is a door of dimensions 220x500 mm, whose hinges are obtained by the sheet of the load-bearing structure, through the application on pressure of 2 thread inserts M4. The screws serve as hinges. Inside the ashtray ONDA, a box in galvanized steel sheet 10/10 thickness, provided with 2 oval holes 100x30 mm helping its removal, is placed. On the bottom of the ashtray there are 4 holes of 8 mm diam. for the fixing to the ground through specific bolts (not provided).

For the realization of this product made in Italy, Steel EN10111DD11 is used and later treated with a cycle of sandblasting, cataphoresis and powder coating. Such cycle is meant to guarantee the protection of the painted products, in an environment of C4 corrosion class, as requested by the UNI regulations EN ISO 12944-2. The products are eventually polyester-powder coated with RAL colours at choice..

The galvanized steel used is steel EN10346DX51D+Z and, unless otherwise stated, is not painted.

Max dimensions:

Height: **955 mm**
Length: **250 mm**
Width: **250 mm**

Dimensions inner container:

Height: **450 mm**
Length: **210 mm**
Width: **210 mm**

Weight: **16 kg**
Capacity: **16 lt**

Material: [steel](#)



GALLERY IMAGES

