



# ANANT

### Descriptions

Product code	CC0636UE85
Product description	ANANT Silla metal negro PU topo Chair upholstered in synthetic leather. Powder coated steel legs.
Origin country	CN

### Dimensions

Height x Width x Depth (cm)	82 cm	x	53 cm	x	60 cm
Product weight (kg)	6,4 Kg				
Seat height (cm)	46				
Seat width (cm)	42				
Seat depth (cm)	42				
Armrest height (cm)					
Armrest width (cm)					
Backrest height (cm)	36				

### Technical drawings



### Features

Use (domestic/contract/office)	Domestic
Indoor (yes/no)	Yes
Alfresco (yes/no)	No
Outdoor (yes/no)	No
Stackable (yes/no)	No
Stacks up to	
Max. load (kg)	130
Adjustable height (yes/no)	No
Adjustable height mechanism description	N/A

Foldable (yes/no)	No
Swivel (yes/no)	No
Reclining (yes/no)	No
Armrest included (yes/no)	No
Padded (yes/no)	Yes
Footrest included (yes/no)	No
Fabric durability resistance (Martindale cycles)	>15.000 cycles
Water repellent (yes/no)	No
Stain resistant (yes/no)	No
Fire resistant (yes/no)	No
UV resistance level (1-5)	
Removable chair cover (yes/no)	No
Removable cover parts description	N/A
Adjustable feet (yes/no)	No
Castors information	N/A
Cushion included (yes/no)	No
Cushion removable cover (yes/no)	N/A


**Materials**

Main material	Upholstered
Frame construction	Steel
Main finishing	Upholstered
Seat material details	Synthetic leather, Foam, Plywood
Backrest material details	Synthetic leather, Foam, Plywood
Armrest material details	N/A
Fabric type & specifications	Synthetic leather
Fabric composition	100% PU (Polyurethane)
Fabric grammage (g/m2)	
Upholstery fill material	Foam
Foam density (kg/m3)	24
Legs material	Steel
Legs finishing	Powder coated painted
Feet pad type	Plastic pad
Cushion fabric type	N/A
Cushion fabric composition	
Cushion grammage (g/m2)	
Cushion fill material	N/A
Cushion thickness (cm)	

**Assembly**

Unpacking time (min)	5
Assembly required (yes/no)	Yes
Difficulty of assembly	Easy
People required	1
Assembly time (min)	5
Assembly suggestions	Turn the seat upside down and tighten the screws. Check and classify all fittings before starting the assembly. Assemble on a soft surface.

Assembly instructions



**Care & Warranties**

General warnings	Do not place near direct sources of heat. Keep away from direct solar light. Do not use abrasive products like acetones, bleaches, solvents, etc. Sharp elements can scratch the product surface.
Specific use and care instructions	Clean the product with a wet cloth dampened in a mild cleaner and dry immediately. Dust it with a duster.
Specific use and care instructions for outdoor	N/A
Years of guarantee	2
Made according to	EN 12520:2015 for household use seats
FSC certified (yes/no)	
PEFC certified (yes/no)	
FLEGT license (yes/no)	
Variation type	No natural variation
Purposeful distressing type	No distressing
Additional information	

**Packaging**

Units per lot	
Cbm (m3) / Gross weight (Kg)	0,0795 / 7,25
Nº of boxes	1
Box 1	1
Description	FULL ITEI
Description box	ANANT C
Height x Width x Depth (cm)	54 x 72 x 41
Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	0,080 / 7,25 / 6,4
Box 2	
Description	
Description box	
Height x Width x Depth (cm)	x x
Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	/ /
Box 3	
Description	
Description box	
Height x Width x Depth (cm)	x x
Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	/ /