



IB RUBINETTI

Collection

WAVE

Article

WA200

Description

Monohole washbasin mixer



Box Dimensions

340 x 180 x 70 mm


Weight

1.9 kg

Finishes

- **CC**
CHROME
- **CF**
BLACK CHROME
- **OO**
GOLD
- **MB**
MODERN BRONZE
- **SS**
BRUSHED NICKEL
- **CS**
BRUSHED BLACK CHROME
- **BO**
MATT WHITE
- **NP**
MATT BLACK
- **IS**
BRUSHED PALE GOLD
- **OS**
BRUSHED GOLD
- **II**
PALE GOLD
- **RR**
ANTIQUÉ COPPER
- **RS**
ROSE GOLD
- **ON**
NATURAL BRASS
- **SR**
BRUSHED ROSE GOLD
- **PL**
PLATINUM

Dimensions



Cartridge

Ø25 ceramic cartridge

Hoses

Inox hoses G3/8" female 450 mms long

Aerator

M24x1

Flow Rate (+/-10%)

**1 BAR
7 l/min**

**2 BAR
10 l/min**

**3 BAR
12.5 l/min**

Production

Main body is a single casted pieces

Material

BRASS
According to CuZn35Pb2Al-B (CB752S)
Max Lead content: 1.36%

IB RUBINETTERIE s.p.a
via dei Pianotti 3/5
25068 Sarezzo (BS) - Italy -

T. +39 030 802101
F. +39 030 803097
info@ibrubinetterie.it

P.IVA 01785230986
capitale sociale
€420.000,00 i.v.


WWW.IBRUBINETTI.IT





IB RUBINETTI

Parts list			
ELEM.	CODE	DESCRIPTION	QTÀ
1	AQ0013547	Zamak handle 37x105x3.5	1
2	AQ0013747	Inox screw Ø5 M5x5	1
3	CPKWA200CCX03	Preassembled washbasin mixer	1
3.1	AC0011883	Cartridge fixing nut Ø32,8 H.14.15	1
3.2	AQ0010564	OR 26.7x1.78 NBR 70 SH	1
3.3	AQ0016765	Cartridge Ø25 open Ø (KH25OP A4UI)	1
3.4	AN0010810	Connection piece Ø27X18	1
3.5	AQ0010972	OR 23x2 NBR 70 SH	1
3.6	AQ0014795	Basin body 37x37x122x162	1
3.7	AQ0012140	Aerator NP slim M24x1 (01.5511.0)	1
3.8	AQ0001400	OR 20.35x1.78 NBR 70 SH	1
3.9	AQ0013602	Basin base 45x45x8.5 zamack	1
3.10	AQ0011013	Flex inox M8x1 G3/8" L450	2
4	AQ0010505	Fixing set	1
5	AQ0009837	Simple rapid waste 1"1/4	1





WARRANTY

All IB Rubinetterie SpA products are warranted for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our warehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finished surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommended cleaning the finish surfaces with water and soap, using a soft cloth.

Do not use detergents that cointain hydrochloric acid or abrasive substances.