



TRES COMERCIAL, S.L.

C/ Penedés, 16-26 | Zona industrial, Sector A | 08759 Vallirana (Barcelona)

93 683 40 04 | comercial@tresgriferia.com

[www.tresgriferia.com](http://www.tresgriferia.com)

Certificate No.: **CC19031212NM2023**

Initial Certification: **20/10/2023**

Issue Date: **01/01/2024**

Expiry Date: **01/01/2029**

## CERTIFICATE OF CONFORMITY

TRES COMERCIAL S.L., with registered office at C/ Penedès 16-26, Zona Industrial - Sector A, 08759 Vallirana (Barcelona), hereby declares under its sole responsibility that the sanitary tapware:

**Brand:** TRES  
**Model(s):** 19031212NM  
**Collection:** OVER-WALL  
**Family:** Thermostatic

As the subject of this declaration, is produced under a quality management system in accordance with the UNE-EN ISO 9001:2015 standard (ER-1111/1999) for the production and assembly of sanitary tapware and accessories, and complies with the requirements of both national and European standards:

*Royal Decree 145/2023 of 28 February (industrial safety) Annex 1: 6. Sanitary tapware.*

*Royal Decree 3/2023 of 10 January regarding technical and sanitary criteria for drinking water quality, control, and supply.*

*EN-1111: Sanitary Tapware. Thermostatic mixers (PN 10). General technical specifications.*

*EN 248: Corrosion resistance and adhesion of surface coating.*

Characteristics and performance in the attached technical sheet.

Quality Department

 **TRES COMERCIAL SL**




## 19031212NM

### OVER-WALL

### 3-way Over-wall thermostatic mixer tap set for bath and shower

- With diverter integrated into the flow regulator.
- Round handle.
- Telescopic shower bar.
- Stainless steel adjustable shower head: Ø 300 mm.
- Adjustable and sliding support for hand shower.
- Anti-limescale brass hand shower.
- Satin hose.



Matt Black Finish



Aerator: FREE OUTPUT



Cartridge reference: 29916832NM



Flow rate (l/min): 20



Distributor cartridge: 29955308



Brass hand shower



Easy-Clean®. The thermostatic cartridge is easy to clean without losing temperature calibration



Connecting element: MURAL G1/2"



Eccentricity (cm): 13-16



Tres Instant: The thermostatic cartridge ensures a constant flow of water at the desired temperature, in spite of pressure or temperature changes.



Material: Low lead content brass



## 19031212NM

OVER-WALL

### 3-way Over-wall thermostatic mixer tap set for bath and shower



Corrosion resistance



Stainless steel shower head



Telescopic



Tres Touch-cool®. The tap surface remains at a temperature suitable for touching, thus preventing burns.

