

# Rest

Product Fact Sheet



**ex.t**

info@ex-t.com / ex-t.com

# Rest



## Design By

Norm.Architects

## Code

EXRESTLOUNG/NE

EXRESTLOUNG/GR

## Category

Seating

## Module Dimensions

70 x 70 x h 70 cm

## Materials

Matt varnished metal, brass, eco-leather;

Matt varnished metal, brass, green velvet

Matt varnished metal, brass, Nabuck leather

## Colours

● Black Eco - leather

● Green

● Nabuck leather



## Weight

Product 15 kg

Packaging - kg


## Packaging Dimensions

-



# Rest

Scale 1:10





## ECO-LEATHER

### SPECIFICHE TECNICHE TECHNICAL SPECIFICATIONS

according: DIN EN 14465: 2006

Spessore tessuto Textile thickness 0,9 - 1,0 mm

Composizione superficiale Surface composition 100% PU

Composizione della base Base composition 65% Polyester / 35% Cotton

PROVE TEST	METODO METHOD	UNITÀ DI MUSURA UNIT OF MEASURE	RISULTATI OUTCOME		CATEGORIA CATEGORY
			ORDITO WARP	TRAMA WEFT	
Resistenza alla abrasione Abrasion resistance	EN ISO 12947-1 EN ISO 12947-2	Giri Revs.	> 45 000		A
Slittamento cucitura Seam slippage	EN ISO 13936-2	mm	2,3	2,3	A/A
Resistenza a Trazione Tensile strength	EN ISO 13934-1	N (%)	852 (19,6)	664 (32,0)	A/
Resistenza allo strappo Tear strength	EN ISO 13937-3	N	50,1	39,0	A/B
Solidità del colore allo sfregamento Colour fastness to rubbing	EN ISO 105-X12	Grado Grade	Asciutto Dry 5	Bagnato Wet 4-5	A/A
Solidità del colore alla luce Colour fastness to light	EN ISO 105-B02	Grado Grade	5		B
Prove Bally Bally-test Nel senso della lunghezza Lengthwise Nel senso della diagonale Across diagonal	i.A. DIN 53 351 / DIN 53 359 30 000 giri / revs.	Superato Passed			
Prove Bally dopo la idrolisi Bally-test after Hydrolysis 10d 70C 95-98% rel.LF Nel senso della lunghezza Lengthwise Nel senso della diagonale Across diagonal	i.A. DIN 53 351 / DIN 53 359 15 000 giri / revs.	Superato Passed			

Non rilevato Undetectable

Protezione dal fuoco Fire protection Su richiesta On request (BS 5852)

Informazioni aggiuntive Additional information Questo prodotto è conforme alla Direttiva UE 2002/61 / CE e UE  
Our product satisfy to the EU-Directive 2002/61/EC and European

Testato da Tested by CTL® GmbH Chemisch-Technologisches Laboratorium Badania wykonane przez  
Carl-Bertelsmann-Str. 66 / 33332 Gütersloh - Germany

## ECO-LEATHER

### CARE INSTRUCTIONS

Regular stains such as coffee, alcohol etc can be easily removed with a humid cloth. As for harder to remove stains take off the excess with a humid cloth then gently wash using a neutral soap. Then rinse with a humid cloth.

### WASHING INSTRUCTIONS

