



BEVEL™ BENCH

PRODUCT DATA



FORMS+SURFACES®



BEVEL™ BENCH


PRODUCT DATA

The **Bevel Bench** is constructed of TENSU Ultra High Performance Concrete (UHPC). Two exquisitely detailed castings, mirrored front and back, join at the bench spine. A thin reveal between the two lightens the look.

MATERIAL & CONSTRUCTION DETAILS INSTALLATION & MAINTENANCE


CONSTRUCTION	INSTALLATION	MAINTENANCE
<ul style="list-style-type: none"> Benches are made of TENSU UHPC with an intrinsic UHPC finish in Natural color. TENSU surfaces are protected by an invisible hydrophobic treatment. Slight variations in color and surface texture can occur due to the nature of the TENSU manufacturing process. 	<ul style="list-style-type: none"> Bevel Benches can be freestanding or surface mounted. Surface mount models include stainless steel mounting hardware. 	<ul style="list-style-type: none"> TENSU surfaces can be cleaned as needed using a soft cloth or brush with water and a mild detergent. Surfaces should be thoroughly rinsed and allowed to dry. Avoid abrasive cleaners.

NOMINAL DIMENSIONS



MODEL	OVERALL LENGTH	OVERALL DEPTH	OVERALL HEIGHT	WEIGHT
SBBVL-74C	74" (1880 mm)	18" (457 mm)	18" (457 mm)	200 lbs (91 kg)

UHPC COLOR: NATURAL



ENVIRONMENTAL CONSIDERATIONS

- Please refer to the Bevel Bench Environmental Data Sheet for detailed environmental impact information.
- Bevel Benches are composed primarily of natural materials local to manufacturing.
- All Bevel Benches use a low energy, resource efficient manufacturing and curing process.
- All bench components disassemble at end of life and are fully recyclable.
- Low maintenance and extremely long service life.
- Manufactured in the USA.

MODEL NUMBER AND DESCRIPTION

MODEL	DESCRIPTION
SBBVL-74C	Bevel Bench, 6 foot, backless, TENSU UHPC



BEVEL™ BENCH

PRODUCT DATA

LEAD TIME: Please contact us to discuss your specific timing requirements.

PRICING: Please contact us at **800.451.0410** or **sales@forms-surfaces.com**. At Forms+Surfaces, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Territory Managers are located worldwide to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER SPECIFY: Quantity, model, and freestanding or surface mount. Quote/Order Forms are available on our website to lead you through the specification process in a simple checkbox format.

NOTE: Because different computers, monitors, and printers render colors and textures differently, actual finishes may vary from those shown here.