

# **CIRCUIT**<sup>TM</sup> BENCH

PRODUCT DATA







#### PRODUCT DATA

Simplicity meets strength in the cleanly designed, versatile **Circuit Bench**. Circuit's durable materials easily transition from indoors to out, offering an ideal solution for mixed use environments and public spaces. Its unique frame is comprised of solid cast aluminum with a powdercoat finish, while the seat is available in FSC<sup>®</sup> Recycled 100% Teak hardwood slats with a natural oiled finish. Ideal for malls, corporate campuses or universities, the Circuit Bench makes it easy to carry a design theme from the inside out.

### MATERIAL & CONSTRUCTION DETAILS

### **INSTALLATION & MAINTENANCE**

FRAME	SEAT	INSTALLATION	MAINTENANCE
<ul> <li>Frame is made of solid cast aluminum with a powdercoat finish.</li> <li>See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge.</li> <li>Due to the inherent nature of metal castings, gloss powdercoats are not offereed for cast components.</li> </ul>	<ul> <li>FSC<sup>®</sup> Recycled 100% Teak hardwood slats have a natural oiled finish that enhances the wood's rich color (FSC License Code: FSC-C004453).</li> <li>Reclaimed Teak hardwood slats are hand salvaged from old, neglected buildings. Each slat is carefully reworked and may have small plugs, minor checking, or grain imperfections.</li> </ul>	Circuit Benches can be freestanding with nylon glides or surface mounted. Surface mounted models include anchors and stainless steel mounting screws.	<ul> <li>Metal surfaces can be cleaned as needed using a soft cloth or brush with warm water and a mild detergent. Avoid abrasive cleaners.</li> <li>FSC<sup>®</sup> Recycled 100% Teak hardwood slats can be maintained by re-oiling as needed with linseed oil. Avoid abrasive cleaners and spray polishes.</li> </ul>

## NOMINAL DIMENSIONS







MODEL	OVERALL LENGTH	OVERALL DEPTH	OVERALL HEIGHT	WEIGHT
SBCIR-72T	72.0" (1829 mm)	18.0" (457 mm)	18.0" (457 mm)	112.0 lbs (51 kg)

### ENVIRONMENTAL CONSIDERATIONS

• Please refer to the Circuit Bench Environmental Data Sheet for detailed environmental impact information.

- Circuit Bench has a high recycled content and is fully recyclable.
- All Circuit wood is FSC® Recycled 100%.
- Standard powdercoat finishes are no-VOC; non-standard powdercoat finishes are no- or low-VOC, depending on color.
- Low maintenance; easy to disassemble.

#### MODEL NUMBER AND DESCRIPTION

MODEL	DESCRIPTION
SBCIR-72T	Circuit Bench, FSC® Recycled 100% Teak hardwood slats

#### T 800.451.0410 | www.forms-surfaces.com

## FORMS+SURFACES®

© 2021 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at www.forms-surfaces.com.



### PRODUCT OPTIONS

The following options are available for an upcharge

Custom RAL powdercoat color

**LEAD TIME:** 6 to 8 weeks. Shorter lead times may be available upon request. Please contact us to discuss your specific timing requirements.

**PRICING:** Please contact us at **800.451.0410** or **sales@forms-surfaces.com**. At Forms+Surfaces, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Territory Managers are located worldwide to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

**TO ORDER SPECIFY:** Quantity, powdercoat color for frame castings, freestanding or surface mount. Quote/Order Forms are available on our website to lead you through the specification process in a simple checkbox format.