



PACIFICA™ BENCH

PRODUCT DATA





PACIFICA™ BENCH

PRODUCT DATA


The **Pacifica Bench** consists of strongly defined linear seating elements cradled in a relaxed, sweptback structure. Incredibly rugged, the bench frame components are laser-cut from solid steel plate. Wood seats and backs are made from FSC® 100% Jatoba, a beautiful hardwood that is highly resistant to vandalism, moisture, and decay. Available in backed and backless versions, the Pacifica Bench provides distinctive and versatile public seating for a range of environments, including parks, courtyards, shopping malls, and waterfront areas.

MATERIAL & CONSTRUCTION DETAILS

INSTALLATION & MAINTENANCE

FRAME	BACK OPTIONS	INSTALLATION
<ul style="list-style-type: none"> Frame and base plates are made of rugged carbon steel plate; all joints are fully welded for maximum durability. For the ultimate in corrosion resistance, the steel finishing process includes an electrodeposited zinc undercoat per ASTM B633 with additional Type II conversion coating followed with a powdercoat finish. See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge. 	<ul style="list-style-type: none"> Backed benches are available with full or short backs. Full backs are the same length as the seat; short backs are approximately two-thirds the length of the seat. 	<ul style="list-style-type: none"> Backed benches can be freestanding or surface mounted. Surface mounted models use 10" (254 mm) diameter round base plates; freestanding models use 4" x 24" (102 mm x 610 mm) straight base plates for stability. Backless benches must be surface mounted and use 10" (254 mm) diameter round base plates. Surface mounted models include anchors and stainless steel mounting screws.
SLATS	ARMRESTS	MAINTENANCE
<ul style="list-style-type: none"> Seats and backs are made of nominal 1.5" x 2.38" (31 mm x 60.5 mm) Jatoba hardwood slats and cross-members fitted together with tenoned joinery and stainless steel spacers. Jatoba hardwood slats offer superior resistance to moisture, insects, fire, vandalism and decay. All Pacifica wood is FSC® 100% and has a natural oiled finish that enhances the wood's rich color. (FSC License Code: FSC-C004453) 	<ul style="list-style-type: none"> Optional armrests are available for an upcharge and consist of formed and welded steel "D" sections, which can be installed at any desired location along the length of the bench. 	<ul style="list-style-type: none"> Metal surfaces can be cleaned as needed using a soft cloth or brush with warm water and a mild detergent. Avoid abrasive cleaners. Jatoba hardwood slats can be maintained by re-oiling as needed with Penofin® hardwood finish or similar products.

NOMINAL DIMENSIONS



MODEL	OVERALL LENGTH	OVERALL DEPTH	SEAT DEPTH	OVERALL HEIGHT	SEAT HEIGHT	ARMREST HEIGHT	WEIGHT
SBPAC-8SL	96" (2438 mm)	26.8" (681 mm)	21.0" (533 mm)	31.3" (795 mm)	16.6" (422 mm)	21.8" (554 mm)	286.1 lbs (129.8 kg)
SBPAC-8FL	96" (2438 mm)	26.5" (673 mm)	20.3" (516 mm)	28.0" (711 mm)	16.2" (411 mm)	21.4" (544 mm)	256.4 lbs (116.3 kg)
SBPAC-12SL	144" (3658 mm)	26.8" (681 mm)	21.0" (533 mm)	31.3" (795 mm)	16.6" (422 mm)	21.8" (554 mm)	374.3 lbs (169.8 kg)
SBPAC-12FL	144" (3658 mm)	26.5" (673 mm)	20.3" (516 mm)	28.0" (711 mm)	16.2" (411 mm)	21.4" (544 mm)	373.5 lbs (169.4 kg)



MODEL	OVERALL LENGTH	OVERALL DEPTH	SEAT HEIGHT	ARMREST HEIGHT	WEIGHT
SBPAC-8SN	96" (2438 mm)	15.8" (401 mm)	15.9" (404 mm)	21.8" (554 mm)	163.5 lbs (74.2 kg)
SBPAC-12SN	144" (3658 mm)	15.8" (401 mm)	15.9" (404 mm)	21.8" (554 mm)	233.8 lbs (106.0 kg)

T 800.451.0410 | www.forms-surfaces.com

FORMS+SURFACES®


© 2017 Forms+Surfaces® | All dimensions are nominal. Specifications and pricing subject to change without notice. For the most current version of this document, please refer to our website at www.forms-surfaces.com.



PACIFICA™ BENCH

PRODUCT DATA

NOMINAL DIMENSIONS (Continued)



MODEL	OVERALL LENGTH	BACK LENGTH	OVERALL DEPTH	SEAT DEPTH	OVERALL HEIGHT	SEAT HEIGHT	ARMREST HEIGHT	WEIGHT
SBPAC-8SS	96" (2438 mm)	69.3" (1760 mm)	26.8" (681 mm)	21.0" (533 mm)	31.3" (795 mm)	16.6" (422 mm)	21.8" (554 mm)	244.3 lbs (110.8 kg)
SBPAC-8FS	96" (2438 mm)	69.3" (1760 mm)	26.5" (673 mm)	20.3" (516 mm)	28.0" (711 mm)	16.2" (411 mm)	21.4" (544 mm)	243.8 lbs (110.6 kg)
SBPAC-12SS	144" (3658 mm)	96" (2438 mm)	26.8" (681 mm)	21.0" (533 mm)	31.3" (795 mm)	16.6" (422 mm)	21.8" (554 mm)	345.3 lbs (156.6 kg)
SBPAC-12FS	144" (3658 mm)	96" (2438 mm)	26.5" (673 mm)	20.3" (516 mm)	28.0" (711 mm)	16.2" (411 mm)	21.4" (544 mm)	344.5 lbs (156.3 kg)

NOTE: Each armrest adds 7 lbs to the Pacifica Bench.

ENVIRONMENTAL CONSIDERATIONS

- Please refer to the Pacifica Bench Environmental Data Sheet for detailed environmental impact information.
- All components are fully recyclable; all Pacifica wood is FSC® 100%.
- Standard powdercoat finishes are no-VOC; non-standard powdercoat finishes are no- or low-VOC, depending on color.
- Low maintenance.

MODEL NUMBERS AND DESCRIPTIONS

MODEL	DESCRIPTION
SBPAC-8SL	Pacifica Bench, 8 foot, full back, surface mount
SBPAC-8FL	Pacifica Bench, 8 foot, full back, freestanding
SBPAC-8SS	Pacifica Bench, 8 foot, short back, surface mount
SBPAC-8FS	Pacifica Bench, 8 foot, short back, freestanding
SBPAC-8SN	Pacifica Bench, 8 foot, backless, surface mount
SBPAC-12SL	Pacifica Bench, 12 foot, full back, surface mount
SBPAC-12FL	Pacifica Bench, 12 foot, full back, freestanding
SBPAC-12SS	Pacifica Bench, 12 foot, short back, surface mount
SBPAC-12FS	Pacifica Bench, 12 foot, short back, freestanding
SBPAC-12SN	Pacifica Bench, 12 foot, backless, surface mount

PRODUCT OPTIONS

The following options are available for an upcharge

Intermediate armrest(s)	Custom RAL powdercoat color
Premium Texture Colors from Forms+Surfaces Powdercoat Chart	



PACIFICA™ BENCH

PRODUCT DATA

LEAD TIME: 6 to 8 weeks. Shorter lead times may be available upon request. Please contact us to discuss your specific timing requirements.

PRICING: Please contact us at **800.451.0410** or **sales@forms-surfaces.com**. At Forms+Surfaces, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Territory Managers are located worldwide to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER SPECIFY: Quantity, model, powdercoat color for frame castings, number, and location of optional armrests. Quote/Order Forms are available on our website to lead you through the specification process in a simple checkbox format.