

**TRIO™** BENCH

PRODUCT DATA





PRODUCT DATA


The Trio Bench blends an evocative sculptural form with materials and construction durable enough for the most challenging outdoor environments. The frame is expertly crafted from rustproof solid cast aluminum. Seat slats can be specified in extruded aluminum or FSC® 100% lpé hardwood. Available in backed and backless versions, Trio's beautiful design and diverse range of material and configuration options make it ideal for parks, streetscapes, bus stops, campuses or any landscape setting. The Trio family also includes a bike rack, bollard and pedestrian lighting, table ensemble, and the Dispatch Litter & Recycling Receptacle.


# **MATERIAL & CONSTRUCTION DETAILS**

## **INSTALLATION & MAINTENANCE**

| FRAME  | SLATS   | ARMRESTS   | INSTALLATION  | MAINTENANCE   |
|--|---|--|---|---|
| Frame is made of solid cast aluminum with powdercoat finish. See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge.  Due to the inherent nature of metal castings, gloss powdercoats are not offered for cast components. | Extruded aluminum slats feature a lightly grooved surface for enhanced appearance and non-slip feel. Standard finishes are Clear Anodized and powdercoat. See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge.  Ipé hardwood slats offer superior resistance to moisture, insects, fire, vandalism and decay. All Trio wood is FSC® 100% and has a natural oiled finish that enhances the wood's rich color. (FSC License Code: FSC-C004453) | All benches have two armrests that are integral parts of the frame end castings. Optional intermediate armrests are available for an upcharge for both backed and backless benches and may be specified at any desired location along the bench's length. Intermediate armrests are powdercoated to match the frame. | Trio benches must<br>be surface mounted.<br>Anchors and stainless<br>steel mounting screws<br>are included. | Metal surfaces can be cleaned as needed using a soft cloth or brush with warm water and a mild detergent. Avoid abrasive cleaners. Ipé hardwood slats can be maintained by re-oiling as needed with Penofin® hardwood finish or similar products. |


## NOMINAL DIMENSIONS







| MODEL      | OVERALL LENGTH  | OVERALL DEPTH  | SEAT DEPTH     | OVERALL HEIGHT | SEAT HEIGHT    | ARMREST HEIGHT | WEIGHT              |
|------------|-----------------|----------------|----------------|----------------|----------------|----------------|---------------------|
| SBTRO-72BA | 75.0" (1905 mm) | 22.7" (577 mm) | 17.4" (441 mm) | 33.6" (853 mm) | 17.6" (447 mm) | 21.6" (549 mm) | 166.7 lbs (75.6 kg) |
| SBTRO-72BW | 75.0" (1905 mm) | 22.7" (577 mm) | 17.4" (441 mm) | 33.6" (853 mm) | 17.6" (447 mm) | 21.6" (549 mm) | 166.7 lbs (75.6 kg) |
| SBTRO-96BA | 98.7" (2506 mm) | 22.7" (577 mm) | 17.4" (441 mm) | 33.6" (853 mm) | 17.6" (447 mm) | 21.6" (549 mm) | 203.4 lbs (92.3 kg) |







| MODEL      | OVERALL LENGTH  | OVERALL DEPTH  | SEAT DEPTH   | OVERALL HEIGHT | SEAT HEIGHT    | ARMREST HEIGHT | WEIGHT              |
|------------|-----------------|----------------|--------------|----------------|----------------|----------------|---------------------|
| SBTRO-72NA | 74.8" (1900 mm) | 20.1" (511 mm) | 18" (457 mm) | 21.9" (556 mm) | 17.7" (450 mm) | 21.9" (556 mm) | 109.6 lbs (49.7 kg) |
| SBTRO-72NW | 74.8" (1900 mm) | 20.1" (511 mm) | 18" (457 mm) | 21.9" (556 mm) | 17.7" (450 mm) | 21.9" (556 mm) | 109.0 lbs (49.4 kg) |
| SBTRO-96NA | 98.6" (2505 mm) | 20.1" (511 mm) | 18" (457 mm) | 21.9" (556 mm) | 17.7" (450 mm) | 21.9" (556 mm) | 128.4 lbs (58.3 kg) |

NOTE: Each intermediate armrest adds 3.5 lbs to the backed Trio Bench, or 4.0 lbs to the backless Trio Bench.

## T 800.451.0410 | www.forms-surfaces.com





PRODUCT DATA

#### **ENVIRONMENTAL CONSIDERATIONS**

- Please refer to the Trio Bench Environmental Data Sheet for detailed environmental impact information.
- Trio aluminum castings have up to 95% recycled content and are fully recyclable.
- All Trio wood is FSC® 100%.
- Standard powdercoat finishes are no-VOC; non-standard powdercoat finishes are no- or low-VOC, depending on color.
- Low maintenance.
- Easy to disassemble.

## MODEL NUMBERS AND DESCRIPTIONS

| MODEL      | DESCRIPTION   |
|------------|---|
| SBTRO-72BA | Trio Bench, 6 foot, backed, extruded aluminum slats       |
| SBTRO-72BW | Trio Bench, 6 foot, backed, FSC 100% lpé hardwood slats   |
| SBTRO-72NA | Trio Bench, 6 foot, backless, extruded aluminum slats     |
| SBTRO-72NW | Trio Bench, 6 foot, backless, FSC 100% lpé hardwood slats |
| SBTRO-96BA | Trio Bench, 8 foot, backed, extruded aluminum slats       |
| SBTRO-96NA | Trio Bench, 8 foot, backless, extruded aluminum slats     |

## PRODUCT OPTIONS

The following options are available for an upcharge

| Intermediate armrest(s) for backed or backless Trio Bench   | Custom RAL powdercoat color |
|---|-----------------------------|
| Premium Texture Colors from Forms+Surfaces Powdercoat Chart |                             |

**LEAD TIME:** 6 to 8 weeks. Shorter lead times may be available upon request. Please contact us to discuss your specific timing requirements.

**PRICING:** Please contact us at **800.451.0410** or **sales@forms-surfaces.com**. At Forms+Surfaces, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Territory Managers are located worldwide to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

**TO ORDER SPECIFY:** Quantity, model, powdercoat color for frame castings, clear anodized or powdercoat color for aluminum slats, number, and location of intermediate armrests. Quote/Order Forms are available on our website to lead you through the specification process in a simple checkbox format.

