

Collection

AQUA

Article


EUA212KU

Description

Plate and handles trimkit

Box Dimensions Weight 420x180x90 mm 2.8 kg Finishes ● CC CHROME $\mathsf{O}_{\mathsf{PLATINUM}}^{\mathbf{PL}}$ SS BRUSHED NICKEL ON NATURAL BRASS NP MATT BLACK OCS BRUSHED BLACK CHROME OCF BLACK CHROME OII PALE GOLD OIS ORS ROSE GOLD OSR BRUSHED ROSE GOLD OOO OS BRUSHED GOLD ORR ANTIQUE COPPER OBB ANTIQUE BRONZE





Production

Main body is a machined from a solid pieces

Material

BRASS


According to CuZn39Pb3 (CW614N)

Max Lead content: 2.5%





| Parts list | | | |
|------------|------------|--|----|
| ELEM | CODE | DESCRIPTION | QT |
| 1 | CP9450CC-2 | Preassembled handled Ø45 rod Ø8 L22 | 3 |
| 1.1 | AC0009450 | Handle body Ø45 H20 | 1 |
| 1.2 | AC0010196 | Rod Ø8 L22 M8x1.25 | 1 |
| 1.3 | AQ0001082 | Grubscrew M4x4 cone point | 1 |
| 2 | AQ0002160 | Screw M4x10 | 3 |
| 3 | CP0007043 | Thermo regulaton handle body | 1 |
| 3.1 | AC0007043 | Handle termo regulation | 1 |
| 3.2 | AQ0008086 | Spring for thermo plug Ø6 F0.5 L8.5 | 1 |
| 3.3 | AQ0008085 | Red plug for termo handle | 1 |
| 3.4 | AS0007045 | Pin for thermo lever button Ø6 H11.6 | 1 |
| 4 | AS0013025 | Cetering bush Ø40.95 Ø41.95 H25 | 1 |
| 5 | AC0011535 | Support Ø45 H25.5 M36x1.5 | 1 |
| 6 | AC0007042 | Capacity handle body | 2 |
| 7 | AS0013024 | Centering bush Ø40.95 Ø40.35 H18.5 | 2 |
| 8 | AC0011537 | Flange for regulation tap Ø45 H56.7 | 2 |
| 9 | ACGC11984 | Plate 360x108x3 3 hole °C | 1 |
| 10 | AQ0013943 | Rubber packing Ø60xØ45 H2 | 3 |
| 11 | AQ0014223 | Rubber packing double-sided tape 345x105x2 | 1 |







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.


Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





□ f P