

BIKE RACKS: PEO



| Categories: [BIKE RACKS](#), [URBAN DESIGN](#)

PRODUCT DESCRIPTION

Designer: [Studiorange](#)

The bike rack PEO is made in tubular steel of 43 mm diam. and 2 mm thickness. It is fixed to the ground through a circular base plate of 150 mm diam and 80/10 thickness, with 4 holes of 13 mm diam. for the use of specific bolts (not provided), welded to the tubular steel.

Peo with extension version

The bike rack PEO is made in tubular steel of 43 mm diam. and 2 mm thickness. It is fixed to the ground through an underground extension of 250 mm, to be cemented.

For the realization of this product made in Italy, Steel EN10111DD11 is used and later treated with a cycle of sandblasting, cataphoresis and powder coating. Such cycle is meant to guarantee the protection of the painted products, in an environment of C4 corrosion class, as requested by the UNI regulations EN ISO 12944-2. The products are eventually polyester-powder coated with RAL colours at choice.

Max dimensions:

Height: **704,5 mm**
Hole diameter: **293 mm**
Tube diameter: **43 mm**
Weight: **4 kg**

Fixture:

Underground extension: **250 mm**
Base plate diameter: **150 mm** (4 holes M10)

Material: [steel](#)



GALLERY IMAGES

