



Dornbracht
Touchfree
Checklists

For SO / SQ no.: _____

Touchfree Configuration

Field of Application

- Restaurant Other:
 Hotel
 Private Bathroom
 Office

Number of planned Touchfree installations:

Installation type of spout

- Wall mounted Deck mounted

.....
Article number

.....
Article number

eSET Touchfree Tap

- With temperature adjustment for deck-mounted installation With temperature adjustment for wall-mounted installation*
 Without temperature adjustment for deck-mounted installation Without temperature adjustment for wall-mounted installation*

* When choosing a wall-mounted installation, it is ensured to have a minimum depth of 90mm (3 1/2") to a maximum depth of 115mm (4 7/8") available (for the eSET rough)?

- yes no

Note: Ensure the accessibility of the eSET Touchfree box at all times. All customer-specific functions are managed through the eSET Touchfree box and for service visits the accessibility of the box is required.

Is there a power outlet under the basin? (Max. distance to eSET: 1 m (39-3/8"))

- yes no

Maximum distance between sensor and eSET?

- 399 mm
 400 mm - 900 mm (Order article number 12 765 970 90)

Note: A distance greater than 900 mm is technically not possible!

Are there any other devices with the same sensor send frequency (5725-5875 MHz) in reach (e.g. motion detector for a lighting installation)?

- yes no

Note: Devices with the same frequency may affect the functionality of the product!

Wash basin

Material

- | | |
|-----------------------------------|---------------------------------------|
| <input type="checkbox"/> Ceramics | <input type="checkbox"/> Granit |
| <input type="checkbox"/> Glass | <input type="checkbox"/> Stone |
| <input type="checkbox"/> Marble | <input type="checkbox"/> Other: |
| <input type="checkbox"/> Corian® | |

.....
Manufacturer

.....
Modell

Number of tap holes

- | | |
|----------------------------|-------------------------------|
| <input type="checkbox"/> 1 | <input type="checkbox"/> 3 |
| <input type="checkbox"/> 2 | <input type="checkbox"/> none |

Wash basin installation type

- | | |
|---|--|
| <input type="checkbox"/> Washstand | <input type="checkbox"/> Semi recessed basin |
| <input type="checkbox"/> Under-mount Basin | <input type="checkbox"/> other |
| <input type="checkbox"/> Flush built-in basin | |

Note:

Not compatible with sinks made of conductive materials (especially all metals)!

Cannot be combined with sit-on basins!

A combination of Touchfree products and closable drains is not possible! Please make sure to install an adequately sized drain.

Countertop

- | | |
|-----------------------------------|---------------------------------------|
| <input type="checkbox"/> Ceramics | <input type="checkbox"/> Wood |
| <input type="checkbox"/> Glass | <input type="checkbox"/> Granit |
| <input type="checkbox"/> Marble | <input type="checkbox"/> Stone |
| <input type="checkbox"/> Corian® | <input type="checkbox"/> Other: |

Note:

No conductive material (especially all metals) must be placed between sensor and basin!


Not compatible with countertops made of conductive materials (especially all metals)!

Date


Name / Company

Signature

Overview Installation with deck mounted spout




Overview Installation with wall mounted spout



Layout

Please sketch the planned area incl. placement of elements such as wash basin, power outlet, mirror, towel bar, lotion dispenser, waste basket



Aloys F. Dornbracht GmbH & Co. KG Armaturenfabrik
Köbbingser Mühle 6, D-58640 Iserlohn
Tel. +49(0)2371 433-0, Fax +49(0)2371 433-232
mail@dornbracht.de, dornbracht.com

Dornbracht Group

Premium Solutions for Interior Architecture