

Collection

BODY JET

Article

SH030

Description

Square body - jet

Box Dimensions

280x130x70 mm

Weight


0.2 kg

Finishes

- **CC**
CHROME
- **PL**
PLATINUM
- **SS**
BRUSHED
NICKEL
- **ON**
NATURAL
BRASS
- **BO**
MATT
WHITE
- **NP**
MATT
BLACK
- **CF**
BLACK
CHROME
- **CS**
BRUSHED
BLACK
CHROME
- **II**
PALE
GOLD
- **IS**
BRUSHED
PALE GOLD
- **RS**
ROSE
GOLD
- **SR**
BRUSHED
ROSE GOLD
- **OO**
GOLD
- **OS**
BRUSHED
GOLD
- **RR**
ANTIQUÉ
COPPER
- **BB**
ANTIQUÉ
BRONZE



Dimensions



Cartridge

-

Threaded fitting

-

Aerator

-

Flow Rate (+/-10%)

1 BAR
l/m

2 BAR
l/m

3 BAR
l/m

Production

-


Material

BRASS
According to CuZn39PB3 (CW614N)
Max Lead content: 2.5%



WE ARE **IB**

| Parts list | | | | |
|------------|--------------|-------------------------------|-----|-----|
| ITEMS | CODE | DESCRIPTION | FIN | QTÀ |
| 1 | AQ0012049 | Square bodyjet | F | 1 |
| 1.1 | AQ0012049_1 | Head 33x33 H16 | F | 1 |
| 1.2 | AQ0012049_2 | Diffuser | - | 1 |
| 1.3 | AQ0012049_3 | Insert Ø22 H4 | - | 1 |
| 1.4 | AQ0012049_4 | OR 18.77x1.78 NBR 70 SH | - | 1 |
| 1.5 | AQ0012049_5 | Insert M24x1 M28x1 | - | 1 |
| 1.6 | AQ0012049_6 | Gasket Ø24 H5 | - | 1 |
| 1.7 | AQ0012049_7 | Joint Ø25 G1/2" F H39 | F | 1 |
| 1.8 | AQ0012049_8 | Fixing ring Ø32 M28x1.5 H18.6 | F | 1 |
| 1.9 | AQ0012049_9 | Teflon ring | - | 1 |
| 1.10 | AQ0012049_10 | Teflon ring Ø16.5 H5 | - | 1 |
| 1.11 | AQ0012049_11 | Square 42x42 H7 | F | 1 |
| 1.12 | AQ0012049_12 | Gasket Ø28 Ø24 | - | 1 |
| 1.13 | AQ0012049_13 | Rubber G1/2" | - | 1 |





WE ARE IB

WARRANTY

All IB Rubinetterie SpA products are warranted for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our warehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances.

Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommended cleaning the finish surfaces with water and soap, using a soft cloth.

Do not use detergents that cointain hydrochloric acid or abrasive substances.