




VOLA BK, BKA, BKB

Fitting instruction  
 Montageanleitung  
 Monteringsvejledning  
 Monteringsvejledning  
 Montage handleiding  
 Manuel de montage

















- BK
- BKA
- BKB
- 1
- 4
- 5
- A1
- A4
- B1
- E3
- E5
- E6
- E15
- E16
- E16








vola  
 www.vola.com  
 51705230201177  
 BK\_VO\_4099826



- S BK: 1, 2, 6, 7, 9
- L BK: 3, 4, 6, 8, 10, 11, 12, 13, 14, 15, 16




**BKB**




5 BK-BKA-BKB 5, 6, 7, 8, 10, 11, 12, 13, 15, 16  
Col. 40, 61, 64, 70




6



7 BK-BKA-BKB 14, 15, 16




8 BK-BKA-BKB 14, 15, 16




9 BK-BKA-BKB 3, 4, 9, 10, 11, 12, 13




10 BK-BKA-BKB 4, 6, 8, 10, 12




11 BK-BKA-BKB 14, 15, 16



12 BK-BKA-BKB 3, 4, 9, 10, 11, 12, 13, 14, 15, 16



13 BK-BKA-BKB 5, 6, 7, 8, 10, 11, 12, 13, 15, 16



14 BK-BKA-BKB 1, 2, 3, 4, 14 + A24


**EN1717** Pipe interrupter  
Rohrunterbrecher  
Rørafbryder  
Röravbrytare  
Buisonderbreker  
Disconnecteur à encastrer

Not included.  
Nicht enthalten.  
Ikke inkludert.  
Ingår inte.  
Niet meegeleverd.  
Non inclus.

Min. 150 mm  
Min. 6"


3/4"

A24



15 Extension: VR1599

Tiles: Fliesen: Fliser: Fliser: Tegels: Carreaux:	8 - 25 mm	Standard
Standard: M5 x 30		
VR1599: M5 x 50		



16 BKA-BKB: BKMR3 & BKMR4

Box for drain  
Ablauf Kasten  
Overlobskasse  
Avloppslåda  
Afvoerbak  
Boîte d'évacuation - Installation alternative


- Alternative installation  
- Alternative installation  
- Alternativ installation  
- Alternativ installation  
- Alternativ installatie

17


Data, 3 Bar (Max. 10 Bar):

	l/min.	Gal/min.
T1	10	2.6
090D/E	BK 5, 7, 10, 12:	20 5.3
	BK 8, 11, 13:	25 6.6
	BK 15, 16:	25 6.6
A24	BK 1, 3:	15 3.9
	BK 2, 4:	19 5.0
	BK 14:	22 5.8

Max. 65°C, 150°F



- NR21: VR20C, VR22, VR1275, VR2269, VR2273, VR2278, VR2279+B+C  
 NR51: VR2A, VR22, VR2279+B+C, VR5251  
 NR52BK: VR2A, VR22, VR2279+B+C, VR3109, VR3111, VR5252, VR5253BK, VR5255, VR5256



**vola**  
 Lunavej 2  
 DK-8700 Horsens  
 Tlf : + 45 7023 5500  
 sales@vola.com  
 www.vola.com

## VOLA BK14

Date  
 Mar. 11

Rev.  
 1

Sheet  
 SB 77.1