




VOLA BK, BKA, BKB

Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montage handleiding
Manuel de montage

















- BK ① - ④ + ⑤ - ⑬
- BKA ① - ④ + ⑤ - ⑬
- BKB ① - ④ + ⑤ - ⑬















vola.com
www.vola.com
5 705230 201177



- Ⓢ BK: 1, 2, 6, 7, 9
- Ⓛ BK: 3, 4, 6, 8, 10, 11, 12, 13, 14, 15, 16



BKB




17

Data, 3 Bar (Max. 10 Bar):

	l/min.	Gal/min.
T1	10	2.6
090D/E	BK 5, 7, 10, 12:	20
	BK 8, 11, 13:	25
	BK 15, 16:	25
A24	BK 1, 3:	15
	BK 2, 4:	19
	BK 14:	22

Max. 65°C, 150°F



NR21: VR20C, VR22, VR1275, VR2269, VR2273, VR2278, VR2279+B+C
 NR51: VR2A, VR22, VR2279+B+C, VR5251
 NR52BK: VR2A, VR22, VR2279+B+C, VR3109, VR3111, VR5252, VR5253BK, VR5255, VR5256
 VR090D/C: VR623, VR624C, 4xVR631, VR1902



vola
 Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 sales@vola.com
 www.vola.com

VOLA BK15, 16

Date
 Jan. 07

Rev.
 0

Sheet
 SB 77.2