




VOLA BK, BKA, BKB

Fitting instruction
 Montageanleitung
 Monteringsvejledning
 Monteringsvejledning
 Montage handleiding
 Manuel de montage

















- BK
- BKA
- BKB
- 1
- 4
- 5
- A1
- A4
- B1
- E3
- E5
- E6
- E15
- E16
- E16



















vola
 www.vola.com
 5 705230 201177
 BK_V0_4099826



- S** BK: 1, 2, 6, 7, 9
- L** BK: 3, 4, 6, 8, 10, 11, 12, 13, 14, 15, 16



BKB




17


Data, 3 Bar (Max. 10 Bar):

	l/min.	Gal/min.
T1	10	2.6
090D/E	BK 5, 7, 10, 12:	20
	BK 8, 11, 13:	25
	BK 15, 16:	25
A24	BK 1, 3:	15
	BK 2, 4:	19
	BK 14:	22

Max. 65°C, 150°F



NR10: VR20, VR22, VR273, VR294, VR295
 NR11: VR20, VR22, VR1273, VR1274, VR1275



vola
 Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 sales@vola.com
 www.vola.com

VOLA BK3

Date
 Mar. 11

Rev.
 1

Sheet
 SB 67