

Collection

AQUA

Article

EUA111BT

Description

Plate and handles trimkit

Box Dimensions

420x180x90 mm

Weight


2.8 kg

Finishes

- **CC**
CHROME
- **PL**
PLATINUM
- **SS**
BRUSHED
NICKEL
- **ON**
NATURAL
BRASS
- **BO**
MATT
WHITE
- **NP**
MATT
BLACK
- **CF**
BLACK
CHROME
- **CS**
BRUSHED
BLACK
CHROME
- **II**
PALE
GOLD
- **IS**
BRUSHED
PALE GOLD
- **RS**
ROSE
GOLD
- **SR**
BRUSHED
ROSE GOLD
- **OO**
GOLD
- **OS**
BRUSHED
GOLD
- **RR**
ANTIQUÉ
COPPER
- **BB**
ANTIQUÉ
BRONZE



Dimensions



Cartridge

-

Threaded fitting

-

Aerator

-

Flow Rate (+/-10%)

1 BAR
l/m

2 BAR
l/m

3 BAR
l/m

Production

Main body is a machined from a solid pieces


Material

BRASS
According to CuZn39Pb3 (CW614N)
Max Lead content: 2.5%



WE ARE IB

Parts list			
ELEM.	CODE	DESCRIPTION	QTÀ
1	AQ0014224	Rubber packing double-sided tape 265x105x2	1
2	AQ0013943	Rubber packing Ø60xØ45 H2	2
3	ACGC12316	Plate 270x108x3 °C	1
4	AC0011537	Flange for regulation tap Ø45 H56.7	1
5	AS0013024	Centering bush Ø40.95 Ø40.35 H18.5	1
6	AC0007042	Capacity handle body	1
7	CP2170CC-1	Preassembled handle	2
7.1	AC0010828	Handle Ø45 Ø15.7 M H9.6	1
7.2	AQ0010835	OR 4x1.5 NBR 70 SH	1
7.3	AS0010259	Adapter for thermo handle	1
7.4	AQ0010306	Stop ring	1
7.5	CC0002170	Body handle Belmondo	1
7.6	AQ0001082	Grubscrew M4x4 cone point	2
8	AQ0002160	Screw M4x10	2
9	CP0007043	Thermo regulaton handle body	1
9.1	AC0007043	Handle termo regulation	1
9.2	AQ0008086	Spring for thermo plug Ø6 F0.5 L8.5	1
9.3	AQ0008085	Red plug for termo handle	1
9.4	AS0007045	Pin for thermo lever button Ø6 H11.6	1
10	AS0013025	Cetering bush Ø40.95 Ø41.95 H25	1
11	AC0011535	Support Ø45 H25.5 M36x1.5	1





WARRANTY

All IB Rubinetterie SpA products are warranted for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our warehouse. The warranty only cover surface defects (scatches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finished surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommended cleaning the finish surfaces with water and soap, using a soft cloth.

Do not use detergents that contain hydrochloric acid or abrasive substances.

