

Collection

BOLD

Article

B2022

Description

Duplex

Box Dimensions

340x180x70 mm

Weight


1 kg

Finishes

- **CC** CHROME
- **CF** BLACK CHROME
- **OO** GOLD
- **MB** MODERN BRONZE
- **SS** BRUSHED NICKEL
- **CS** BRUSHED BLACK CHROME
- **BO** MATT WHITE
- **NP** MATT BLACK
- **IS** BRUSHED PALE GOLD
- **OS** BRUSHED GOLD
- **II** PALE GOLD
- **RR** ANTIQUE COPPER
- **RS** ROSE GOLD
- **ON** NATURAL BRASS
- **SR** BRUSHED ROSE GOLD
- **PL** PLATINUM



Dimensions



Cartridge

Threaded fitting

G1/2" male

Aerator

Flow Rate (+/-10%)

**1 BAR
6.7 l/min**

**2 BAR
9.6 l/min**

**3 BAR
11.9 l/min**

Production

Main body is a single casted pieces


Material

BRASS
According to CuZn35Pb2Al-B (CB752S)
Max Lead content: 1.36%



WE ARE IB

| Parts list | | | | |
|------------|-----------|--|-----|-----|
| ITEMS | CODE | DESCRIPTION | FIN | QTÀ |
| 1 | AQ0015375 | Union shower Ø23 | F | 1 |
| 2 | AQ0018056 | Flex sapon G1/2" F L150cm Silver | F | 1 |
| 3 | AC0012661 | Hand shower support Ø29.8 H81 knurled | F | 1 |
| 4 | AQ0010435 | Teflon ring Ø19,9 x 5 | - | 1 |
| 5 | AQ0001360 | OR 11.91x2.62 NBR 70 SH | - | 1 |
| 6 | AS0011282 | Connection piece for spout-out G1/2" L27.7 | G | 1 |
| 7 | AQ0004630 | OR 17.16x1.78 NBR 70 SH | - | 1 |
| 8 | AQ0008025 | OR 29.87x1.78 NBR 70 SH | - | 1 |
| 9 | AC0012736 | Ring Ø50 Ø30.5 H5 knurled | F | 1 |
| 10 | AQ0010444 | Grubscrew M4x6 cone point | - | 1 |
| 11 | AQ0001390 | OR 14x2 NBR 70 SH | - | 1 |
| 12 | AC0011892 | Shower connection piece G1/2" M19x1 H19 | F | 1 |





WE ARE IB

WARRANTY

All IB Rubinetterie SpA products are warranted for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our warehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finished surfaces due to use of cleaning products containing acids or abrasive substances.

Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommended cleaning the finish surfaces with water and soap, using a soft cloth.

Do not use detergents that cointain hydrochloric acid or abrasive substances.