

Collection

TWITTER

Article

TW706

Description

Wall mounted bidet spray mixer

Built-in body to be purchased separately INC206XXXN_19

Box Dimensions Weight 370 x 270 x 80 mm 3.1 kg

Finishes

CC CHROME













BO



IS


























Cartridge Ø35 ceramic cartridge	Threaded fitting G1/2" female		
Aerator	Flow Rate (+/-10%) 1 BAR 2.3 \min	2 BAR 3.2 I\min	3 BAR 4 I\min

Production

Main body is a single casted pieces

Material

BRASS

According to CuZn35Pb2Al-B (CB752S)

Max Lead content: 1.36%


220 [8.66 in]



79 [3.13 in]



		Parts list	
ELEM	CODE	DESCRIPTION	QT
1	CPSUPCCX	Handshower support Ø30 L95	1
	N_1		
1.1	AQ0004640	OR Ø18.77 x Ø1.78 NBR 70 SH	1
1.2	AS0013051	Bayonet coupling G1/2" M H64.9	1
1.3	AQ0004180	OR 9.25x1.78 NBR 70 SH	2
1.4	AC0013053	Hand shower's support Ø30 L94.8	1
1.5	AQ0001340	OR 8.73x1.78 NBR 70 SH	1
1.6	AC0013052	Reduction G1/2" M M12x1 M H20.5	1
1.7	AQ0014670	Grubscrew M5x6 cone point	1
2	AQ0013247	Flow reduction+CV Ø15 4L	1
3	CPIN206CC	Mixer 47x47 x recessed	1
	-19		
3.1	AQ0015684	Gasket Ø31 H3.5 Ø7 Ø7.5	1
3.2	AQ0015357	Grubscrew M3x10 flat point	1
3.3	AS0013040	Insert 47x47 H11 M37x1.5	1
3.4	AQ0004095	Ceramic cartridge Ø35 9x9 (K35A)	1
3.5	AC0010445	Ring for recessed shower mixer	1
3.6	AQ0001040	Cartridge ring nut M37x1.5 H9	1
4	AQ0012068	Chromed cover nut Ø38,2 M37x1,5	1
5	AQ0013641	Handle Ø45 H36 L102.5 with inox plug and	1
		plug	
5.1	AQ0006650	Plug cover Ø7	1
5.2	AQ0009729	Grubscrew M5x5 cone point	1
5.3	AQ0013641	Handle Ø45 H36 L102.5	1
6	AQ0014142	Rubber packing double-sided tape	1
		200x65x8x1	
7	AC0013126	Plate 220x75x2	1
8	AQ0010882	Supreme chromalux flexible hose	2
9	AQ0015885	Handshower hydrobrush SG415	1







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.

