








CYO Wall-mounted basin spout without pop-up waste - Brushed Platinum

CYO

13 805 811



- 190mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Platinum	13 805 811-06
	Chrome	13 805 811-00
	Dark Chrome	13 805 811-19
	Brushed Durabronze (23kt Gold)	13 805 811-28
	Platinum / Brushed Platinum	13 805 811-36
	Durabronze / Brushed Durabronze (23kt Gold)	13 805 811-38
	Brushed Dark Platinum	13 805 811-99


Recommended miscellaneous




- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
 - min. recess depth 90 mm

13 805 811

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	EPA WaterSense
ISO 3822	NSF372	NSF61	Ü-Zeichen

WaterSense





CYO Wall-mounted basin spout without pop-up waste - Brushed Platinum

CYO

13 805 811

Certificates

LGA_38


IAPMO_8834

IAPMO_N-4

IAPMO_6

IAPMO_4976

13 805 811





CYO Wall-mounted basin spout without pop-up waste - Brushed Platinum

CYO

13 805 811

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 24 03 108 01 90	nipple set	3	2