Washtop without / with 2 cut outs 40515.0


40515.4




TA	
40515.0 / without cut out	Moun
40515.4 / 2 cut outs	
1581 x 80 x 520 mm	
n see matrix for washtops 1581 mm	
Body - MDF board with PVC foil	
without or with cut out	Colou
with 3 mounting brackets	
max. load 150 kg	
20,5 kg	
For possible drawer elements Case see matrix.	
Towel rail, anodized aluminium, order no. 49095.2	
Installation set, order no. 49012.4	
and mounting brackets	
	40515.0 / without cut out 40515.4 / 2 cut outs 1581 x 80 x 520 mm n see matrix for washtops 1581 mm Body – MDF board with PVC foil without or with cut out with 3 mounting brackets max. load 150 kg 20,5 kg For possible drawer elements Case see matrix. Towel rail, anodized aluminium, order no. 49095.2 Installation set, order no. 49012.4

Mounting information	The walls installed on must meet the requirements of the furniture in terms of weight and the supplied fastening elements. If this cannot be guaranteed another method of installation
	needs to be chosen.
Colours body	463 – White
	519 - Chalked oak
	548 - Anthracite oak

TECHNICAL DRAWINGS / S 1 : 20





B/mm	C / mm	Ceramic
225	375	Kartell by Laufen 81833.4
290	500	Val 81228.2 (semi-wet-area right)
303	488	Val 81628.8
307	484	Palomba 81680.2

X = The exact height must	be set during installation.
---------------------------	-----------------------------

B/mm	C / mm	Ceramic
345	445	Val 81228.1
346	445	Palomba 81680.3
374	225	Kartell by Laufen 81833.5
500	290	Val 81228.2 (semi-wet-area left)
395	395	all other from matrix for washtops Case



POSSIBLE COMBINATIONS WITH WASHBASINS INO, KARTELL BY LAUFEN, LAUFEN PRO S, LAUFEN PRO

Washtop												
Ceramic												
Ino												
8 1230.0 350x360 mm	√						√	√	√	√	√	√
8 1230.2 500x360 mm	√						✓	✓	✓	✓	√	√
8 1630.0 450x410 mm	✓						✓	√	✓	√	✓	√
8 1630.2 560x450 mm	√						✓	√	√	√	√	✓
8 1730.1 350x365 mm	✓						✓					
8 1730.2 500x365 mm Kartell	✓						✓					
8 1833.4 600x460 mm	√						√	√	√	√	√	√
8 1833.5 600x460 mm	√						√	√	√	√	√	√
8 1833.8 900x460 mm	√											
8 1833.9 900x460 mm	√											
8 1233.1 420x420 mm	✓						✓	✓	✓	✓	✓	✓
8 1233.2 750x350 mm	√	√	✓	✓	√	✓	√ *	√ *	√ *	√ *	√ *	√ *
8 1333.2 1200x460 mm	√											
8 1333.3 1200x460 mm	√						_	_			_	_
8 1833.1 460x460 mm	√						√	√	√	√	√	√
8 1633.2 500x460 mm	√						√	√	√	√	√	√
8 1633.3 600x460 mm Laufen Pro S	✓						√	√	√	√	√	√
8 1696.1	√						√	√	√	√	√	√
450x340 mm 8 1696.2	∨						√	√	√	√	√	√
81696.3 600x465 mm	√						√	√	√	√	√	√
8 1696.4 650x465 mm	-						√	√	√	√	√	√
8 1696.5 850x460 mm	√						,	,	·	, , , , , , , , , , , , , , , , , , ,	•	,
8 1696.6 1050x460 mm	√											
8 1696.7 700x465 mm	√						√	√	√	√	√	√
8 1896.3 560x440 mm	✓						√					

 $[\]checkmark$ * = Combination only with washtop from width 1787 mm.



POSSIBLE COMBINATIONS WITH WASHBASINS INO, KARTELL BY LAUFEN, LAUFEN PRO S

Washtop												
Ceramic												
Ino												
8 1230.0 350x360 mm	✓	✓	√	✓	√	✓	√	✓	✓	✓	✓	√
8 1230.2 500x360 mm	√	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	√
8 1630.0 450x410 mm	✓	✓	√	✓	✓	✓	√	✓	✓	✓	✓	✓
8 1630.2 560x450 mm	✓	✓	√	✓	✓	✓	√	✓	✓	✓	✓	✓
8 1730.1 350x365 mm	√		√				√	✓				
8 1730.2 500x365 mm	✓	✓	√	✓	✓	✓	√	✓	✓	✓	✓	✓
Kartell												
8 1833.4 600x460 mm	✓	✓	√	✓	✓	√	√	√	✓	✓	✓	√
8 1833.5 600x460 mm	✓	✓	✓	✓	✓	√	✓	✓	✓	✓	✓	✓
8 1833.8 900x460 mm	√		√				√ *	√ *				
8 1833.9 900x460 mm	√ *		√ *				√	✓				
8 1233.1 420x420 mm	√	√	√	√								
8 1233.2 750x350 mm	√	\ *	√	√ *	√ *	√ *	√	✓	√ *	√*	√ *	√ *
8 1333.2 1200x460 mm	√		√									
8 1333.3 1200x460 mm							√	√				
8 1833.1 460x460 mm	√	✓	√	✓	✓	✓	√	✓	✓	✓	✓	✓
8 1633.2 500x460 mm	✓	✓	√	✓	✓	✓	✓	✓	✓	✓	✓	✓
8 1633.3 600x460 mm	✓	✓	√	✓	✓	✓	√	✓	✓	✓	✓	✓
Laufen Pro S												
8 1696.1 450x340 mm	✓	✓	√	√	√	√	✓	✓	✓	✓	✓	√
8 1696.2 550x465 mm	√	√	√	√								
8 1696.3 600x465 mm	√	√	√	√								
8 1696.4 650x465 mm	√	✓	✓	√	√	✓	√	√	√	✓	√	✓
8 1696.5 850x460 mm												
8 1696.6 1050x460 mm					_	_		_		_	_	_
8 1696.7 700x465 mm	√	✓	√	✓	√	√	√	√	√	✓	√	✓
8 1896.3 560x440 mm	√		✓				√	√				

 $[\]checkmark$ * = Combination only with washtop from width 1787 mm.



POSSIBLE COMBINATIONS WITH WASHBASINS LAUFEN PRO, LIVING CITY, LIVING SAPHIRKERAMIK, LIVING SQUARE

		//// WAS							
Washtop									
Ceramic									
81195.2 450x340 mm	√			√	√	√	√	√	√
8 1295.2 550x380 mm	√			√	√	√	√	√	√
8 1295.3 600x380 mm	√			√	√	√	√	√	√
8 1296.2 420x420 mm	√			√	√	√	√	√	✓
8 1296.4 520x390 mm	✓			✓	✓	✓	✓	✓	✓
8 1395.1 560x440 mm	√			✓					
8 1396.1 560x440 mm	√			✓	_		_	_	_
8 1695.2 600x400 mm	√			√	√	√	√	√	1
8 1795.1 550x480 mm 8 1795.2	√			√	√	√	√	√	√
600x480 mm 8 1795.3	√			√	√	√	√	√	√
650x480 mm	√			√	√	√	√	√	√
8 1143.0 450x380 mm	√			√	√	√	√	√	√
8 1143.1 500x425 mm	√			√	√	√	√	√	√
8 1143.2 600x425 mm	√			✓	√	✓	✓	✓	√
8 1743.2 500x460 mm	√			✓	√	✓	✓	√	√
8 1743.4 600x460 mm	√			✓	✓	√	✓	√	✓
8 1743.7 800x470 mm	✓			√ *	\ *	√ *	√ *	√ *	\ *
8 1843.8 1000x470 mm	✓								
Living Saphir- Keramik	_			_	_	_	_	_	_
8 1143.3 360x360 mm	√			√	√	√	√	√	√
8 1143.4 600x340 mm	√			√	√	√	√	√	√
8 1143.5 380x380 mm	✓			✓	√	√	✓	√	√
Living Square									
8 1543.5 500x380 mm	√			√					
8 1643.2 650x480 mm	√			✓					
8 1643.4 900x480 mm	\checkmark								

 $[\]checkmark$ * = Combination only with washtop from width 1787 mm.



POSSIBLE COMBINATIONS WITH WASHBASINS LAUFEN PRO, LIVING CITY, LIVING SAPHIRKERAMIK, LIVING SQUARE

Washtop												
Ceramic												
Laufen Pro												
8 1195.2 450x340 mm	√	√	√	√	√	√	√	√	✓	√	√	√
8 1295.2 550x380 mm	√	√	✓	√	√	✓	√	√	✓	√	✓	√
8 1295.3 600x380 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
8 1296.2 420x420 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
8 1296.4 520x390 mm	✓	✓	✓	✓	✓	✓	√	✓	✓	✓	✓	✓
8 1395.1 560x440 mm	✓		✓				✓	✓				
8 1396.1 560x440 mm	✓		✓				√	✓				
8 1695.2 600x400 mm	✓	✓	✓	✓	✓	✓	√	✓	✓	✓	✓	✓
8 1795.1 550x480 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
8 1795.2 600x480 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
8 1795.3 650x480 mm	✓	✓	✓	✓	✓	✓	✓	✓	√	✓	✓	✓
Living City												
8 1143.0 450x380 mm	✓	√	√	√	√	√	√	√	√	√	√	√
8 1143.1 500x425 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
8 1143.2 600x425 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	√
8 1743.2 500x460 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
8 1743.4 600x460 mm	✓	✓	√	✓	✓	✓	✓	✓	✓	✓	✓	✓
8 1743.7 800x470 mm	✓	√ *	✓	√ *	√ *	√ *	✓	✓	√ *	√ *	√ *	√ *
8 1843.8 1000x470 mm												
Living Saphir- Keramik												
8 1143.3 360x360 mm	✓	√	✓	✓	✓	✓	√	✓	✓	✓	✓	✓
8 1143.4 600x340 mm	✓	✓	✓	✓	✓	✓	✓	✓	\checkmark	✓	✓	✓
8 1143.5 380x380 mm	✓	√	✓	✓	✓	✓	√	✓	✓	✓	✓	√
Living Square												
8 1543.5 500x380 mm	√		✓				√	✓				
8 1643.2 650x480 mm	✓		√				√	√				
8 1643.4 900x480 mm	√		top 1581 mm with drawer 595 mm top 1787 mm with drawer 790 mm				√	top 1581 mm with drawer 595 mm top 1787 mm with drawer 790 mm				

 $[\]checkmark$ * = Combination only with washtop from width 1787 mm.



POSSIBLE COMBINATIONS WITH WASHBASINS PALOMBA COLLECTION, VAL

Washtop												
Ceramic												
Palomba Collection												
8 1680.1 900x420 mm	✓	✓	✓	✓	✓	✓						
8 1680.2 520x380 mm	√		✓				\	✓	\	√	✓	√
8 1680.3 600x400 mm	✓						✓	✓	√	✓	✓	✓
Val												
8 1228.1 500x400 mm	\checkmark						✓	✓	\checkmark	✓	✓	✓
8 1228.2 550x360 mm	✓						✓	√	✓	√	√	✓
8 1328.1 400x425 mm	√						√	√	√	√	√	✓
8 1628.0 450x420 mm	√						√	√	√	√	√	✓
8 1628.2 550x420 mm	✓						√	✓	√	√	✓	✓
8 1628.3 600x420 mm	√						√	✓	√	✓	√	✓
8 1628.4 650x420 mm	✓						√	✓	√	√	✓	√
8 1628.5 750x420 mm	✓						√ *	√ *	√ *	√ *	√ *	√ *
8 1628.7 950x420 mm	✓											
8 1628.8 530x400 mm	√						\	✓	✓	√	✓	✓
8 1728.1 550x360 mm	✓						√	√	√	✓	√	√

 $[\]checkmark$ * = Combination only with washtop from width 1787 mm.



CASE

Matrix for washtops 1581 mm / 1787 mm without and with drawer elements

POSSIBLE COMBINATIONS WITH WASHBASINS PALOMBA COLLECTION, VAL

Washtop												
Ceramic			1						i		i	
Palomba Collection												
8 1680.1 900x420 mm	√	✓	√	✓	√	✓						
8 1680.2 520x380 mm	✓	✓	√	√	√	✓	√	√	√	✓	√	√
8 1680.3 600x400 mm	√	✓	✓	✓	✓	✓	√	√	√	✓	√	√
Val												
8 1228.1 500x400 mm	✓	✓	✓	\checkmark	✓	✓	✓	✓	✓	✓	✓	✓
8 1228.2 550x360 mm	√	✓	✓	√	√	✓	√	√	√	✓	√	√
8 1328.1 400x425 mm	√	✓	✓	√	✓	✓	√	√	√	√	√	√
8 1628.0 450x420 mm	√	✓	✓	✓	✓	√	√	√	√	✓	√	✓
8 1628.2 550x420 mm	√	✓	✓	✓	✓	✓	√	√	√	✓	✓	✓
8 1628.3 600x420 mm	√											
8 1628.4 650x420 mm	√	✓	✓	✓	✓	✓	√	√	√	√	√	√
8 1628.5 750x420 mm	possible but not recommended											
8 1628.7 950x420 mm	possible but not recommended											
8 1628.8 530x400 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
8 1728.1 550x360 mm	✓	✓	✓	✓	✓	✓	√	√	√	✓	√	✓