


**A856**

**Click clack slotted basin waste**

Click clack slotted basin waste, suitable for all styles of washrooms.



**References**

A856-S  
A856-B  
A856-N

**Finishes**

Brushed stainless steel  
Polished stainless steel  
Matte black finish

**Characteristics**

Finishes	Brushed stainless steel (S) / Polished stainless steel (B) / Matte black finish (N)
Dimensions	Ø66 x H78m
Connection	M1 <sup>1</sup> / <sub>4</sub>
Overflow slot	Yes
Warranty	25 years

### Optional accessories

---

No optional accessories.

### Maintenance

---

Never use products containing hydrochloric acid, formic acid, acetic acid or bleach containing chlorine. Never use abrasive products or tools (scouring liquid, scouring sponge, dish sponge, stainless steel ball, etc.). Use of any prohibited cleaning or maintenance products or substances could damage the surface of the tap. Only use soap and water when cleaning the surface of the bottle trap and then wipe dry with a clean cloth or towel. When cleaning other areas of the washroom, the bottle trap should be protected from any splattering of the products that are used.

### Related products

---

Bottle trap A860

### Related documents

---

Installation manuel [contact@duten.fr](mailto:contact@duten.fr)  
Certifications [contact@duten.fr](mailto:contact@duten.fr)

Technical diagram

