

**Rain shower with ceiling fixing FlowReduce 300 mm - Brushed Platinum**














IMO

28 688 970




- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Fits: IMO, TARA, LISSÉ, VAIA, META

	Brushed Platinum	28 688 970-06
	Chrome	28 688 970-00
	Platinum	28 688 970-08
	Dark Chrome	28 688 970-19
	Light Gold	28 688 970-26
	Brushed Light Gold	28 688 970-27
	Brushed Durabronze (23kt Gold)	28 688 970-28
	Matte Black	28 688 970-33
	Brushed Bronze	28 688 970-42
	Brushed Champagne (22kt Gold)	28 688 970-46
	Champagne (22kt Gold)	28 688 970-47
	Brushed Chrome	28 688 970-93
	Brushed Dark Platinum	28 688 970-99

28 688 970

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



Rain shower with ceiling fixing FlowReduce 300 mm - Brushed Platinum

---

IMO

28 688 970

Certificates


---

LGA\_29

28 688 970

**Product version from 4/1/2024**

Parts for other  
finishes can be found  
here: [Chrome](#)





Rain shower with ceiling fixing FlowReduce 300 mm - Brushed Platinum

IMO

28 688 970

**Spare parts list**

**Product version from 4/1/2024**

No.	Item Number	Name	Quantity used	Delivery time
	09 27 22 040-06	rosette	6	10