

Marchio / Brand ZUCCHETTI

Classe / Class WW

## SOFT

ZP7662

Termostatico incasso doccia con 4 rubinetti d'arresto. / Built-in thermostatic shower mixer with 4 stop valves.



Termostatico incasso doccia da 1/2", con 4 rubinetti d'arresto.

1/2" built-in thermostatic shower mixer with 4 stop valves.

R97823

Parte incasso. / Built-in part.



## Finiture / Finishes




Cromo / Chrome

## SOFT

ZP7662


Disegno Complessivo / Overall Drawing



## SOFT

ZP7662

Esplosi / Exploded




## SOFT

ZP7662

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
1 RUBINETTO APERTO <i>P1</i>	13,2	18,4	22,7	26,2	29,2
2 RUBINETTO APERTI 2 TAPS OPENED <i>P2</i>	16,5	23,6	29	33,3	37,6
3 RUBINETTO APERTI 3 TAPS OPENED <i>P3</i>	17,7	25,3	31,3	36,2	40,4
4 RUBINETTO APERTI 4 TAPS OPENED <i>P4</i>	15,5	26	31,9	36,9	41,3
<i>P5</i>					



## SOFT

ZP7662

Pesi e Misure / Weights and Sizes

Peso ( Kg ) Weight ( lb )	4,30 ( Kg )	9,48 ( lb )
Volume test ( dc3 ) - ( in3 )	15,59 ( dc3 )	951,36 ( in3 )
h ( mm ) - ( in )	90,00 ( mm )	3,54 ( in )
L1 ( mm ) - ( in )	335,00 ( mm )	13,19 ( in )
L2 ( mm ) - ( in )	530,00 ( mm )	20,87 ( in )

