

SOFT

ZP7646

Termostatico incasso doccia con deviatore 2/3 vie / Built-in thermostatic shower mixer with 2/3 way diverter.



Termostatico incasso doccia da 1/2" e deviatore 2/3 vie con apertura chiusura acqua.

1/2" built-in thermostatic shower mixer and 2/3 way diverter with water on/off function.

R97810

Parte incasso termostatico 2 vie / Built-in part -
2 way thermostatic mixer



R97815

Parte incasso termostatico 3 vie / Built-in part -
3 way thermostatic mixer



Finiture / Finishes




Cromo / Chrome

SOFT

ZP7646


Disegno Complessivo / Overall Drawing



SOFT

ZP7646

Esplosi / Exploded




SOFT

ZP7646

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
DEVIATORE	11,3	16	19,4	23	26
P1					
P2					
P3					
P4					
P5					



SOFT

ZP7646

Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	2,10 (Kg)	4,63 (lb)
Volume test (dc3) - (in3)	11,01 (dc3)	671,87 (in3)
h (mm) - (in)	90,00 (mm)	3,54 (in)
L1 (mm) - (in)	335,00 (mm)	13,19 (in)
L2 (mm) - (in)	365,00 (mm)	14,37 (in)

