



## Shower thermostat for wall installation - Brushed Platinum

34 443 979



- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control
- WRAS 2204005

Intrinsic protection against back flow.

	Brushed Platinum	34 443 979-06
	Chrome	34 443 979-00
	Platinum	34 443 979-08
	Dark Chrome	34 443 979-19
	Brushed Durabross (23kt Gold)	34 443 979-28
	Matte Black	34 443 979-33
	Brushed Champagne (22kt Gold)	34 443 979-46
	Champagne (22kt Gold)	34 443 979-47
	Brushed Chrome	34 443 979-93
	Brushed Dark Platinum	34 443 979-99

### Required miscellaneous




**TARA Regulator handle - Brushed Platinum** 11 431 892-06




## Shower thermostat for wall installation - Brushed Platinum

34 443 979

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## Shower thermostat for wall installation - Brushed Platinum

---

34 443 979

### Certificates

---

LGA\_29

WRAS\_2204

Belgaqua\_22\_281\_2




## Shower thermostat for wall installation - Brushed Platinum

34 443 979

### Product version from 5/1/2022

Parts for other finishes can be found here: [Chrome](#)





## Shower thermostat for wall installation - Brushed Platinum

---

34 443 979

### Spare parts list

#### Product version from 5/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	90 17 33 015 00-06	handle	18	10