

Collection

ELIO

Article

E0310_1

Description

Exposed parts for manual wall mixer with two ways diverter

Box Dimensions Weight 150x190x98 mm 1.2 kg Finishes ● CC CHROME $\mathsf{O}_{\mathsf{PLATINUM}}^{\mathsf{PL}}$ BRUSHED NICKEL ON NATURAL BRASS NP MATT BLACK CF BLACK CHROME CS BRUSHED BLACK CHROME IS BRUSHED PALE GOLD RS ROSE GOLD SR BRUSHED ROSE GOLD














Cartridge

Aerator

Ø35 ceramic cartridge

Threaded fitting

Flow Rate (+/-10%)

1 BAR 9.8 l\m 2 BAR 13.7 l\m 3 BAR 16.6 l\m

Production

Main body is a machined from a solid pieces

Material

BRASS


According to CuZn39Pb3 (CW614N)

Max Lead content: 2.5%





Parts list			
ELEM.	CODE	DESCRIPTION	QTÀ
1	CPDEV24CCXN_1	Diverter	1
1.1	AQ0015685_1	Rubber Ø33.8 Ø21 H2.5	1
1.2	AQ0015357	Grubscrew M3x10 flat point	1
1.3	AS0011816	Screw M3 L9	1
1.5	AQ0013871	Biconic rubber Ø17x3.75x8	1
1.6	AS0011839	Washer UNI 6593 M3	1
1.7	AL0011819	Diverter's rod Ø4 M3 L64.5	1
1.8	AQ0016708	Gaco Ø10.7 Ø3.4 H3 x asta Ø4	1
1.9	AQ0008026	OR 33.05x1.78 NBR 70 SH	2
1.10	AS0013043	Diverter body 47x47 H34.8	1
1.11	AQ0007122	OR 3.69x1.78 NBR 70 SH	1
1.12	AQ0009727	Antifriction ring Ø7 H2.5	1
1.13	AQ0012206	Inox screw M3x10	1
1.14	AC0013054	Ring Ø26 M22x1 F H33	1
1.15	AQ0013884	Spring De5, Di4.2, Df0.4, St15, Lo38	1
1.16	AC0013041	Knob Ø26 H17 M3 F	1
1.17	AS0011840	Washer UNI 6592 M4	1
2	CP300CCXN_19	Pre assemble mixer 47x47 x recessed	1
2.1	AQ0015684	Gasket Ø31 H3.5 Ø7 Ø7.5	1
2.2	AQ0015357	Grubscrew M3x10 flat point	1
2.3	AS0013040	Insert 47x47 H11 M37x1.5	1
2.4	AQ0013271	Ceramic cartiridge KRJ 35A 9x9	1
2.5	AS0016810	Ring for recessed shower mixer	1
2.6	AS0016806	Cartridge ring nut	1
3	AC0016809	Square ring 42x42 H44.2	1
4	AS0016807	Ring Ø40 M30x1.5 F.	1
5	AC0016801	Handle 42x42 H21.5 plane	1
6	AQ0001081	Grubscrew M4x6 flat point	1
7	AQ0012203	Plug	1
8	AC0016813	Plate 175x85x2	1
9	AQ0012239	Rubber packing double-sided tape 145x75x8x1	1







WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.


Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





□ f P