

Collection

BARK

Article

BK220

Description

Monohole bidet mixer complete with drain.

Box Dimensions Weight 340x180x70 mm 2.3 kg

Finishes

● CC CHROME

 $\mathsf{O}_{\mathsf{PLATINUM}}^{\mathsf{PL}}$

SS BRUSHED NICKEL

NATURAL BRASS

NP MATT BLACK

CF BLACK CHROME

OCS
BRUSHED
BLACK
CHROME

IS BRUSHED PALE GOLD

RS ROSE GOLD SR BRUSHED ROSE GOLD




OS BRUSHED GOLD

ORR ANTIQUE COPPER

OBB ANTIQUE BRONZE





Ø25 Ceramics Cartridge

Inox hose M8x1 M G3/8" F L450

Aerator

Flow Rate (+/-10%)

M17x1

1 BAR 7 I\m

2 BAR 9.5 l\m 3 BAR 12 I\m

Production

Material

Main body is a single casted pieces


BRASS

According to CuZn35Pb2Al-B (CB752S)

Max Lead content: 1.36%









QT



WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.


Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.





□ f P