

Collection

BATLÒ

Article

BI350

Description

Wall-mounted shower mixer

Box Dimensions Weight 360 x 220 x 150 mm 4.2 kg

Finishes

CC OCF CHROME

BG GLOSSY WHITE NG GLOSSY BLACK

 \bigcirc BB

ANTIQUE BRONZE

OSS BRUSHED NICKEL

OII

OCS

BRUSHED BLACK CHROME

 \bigcirc BO

ORS

ROSE GOLD

NP

NATURAL BRASS

OON

000

OIS

BRUSHED PALE GOLD

OHH PVD CHOCOLATE ORR ANTIQUE COPPER



Dimensions 355 [13.97 in] 311 [12.23 in]

Cartridge

IB 35 mms Ceramics Discs Cartridge

Treaded fitting

Treaded fitting G1/2" male

Aerator

Flow Rate (+/-10%)

1 BAR 12.4 I\min 2 BAR 17.6 I\min 3 BAR 22 I\min

Production

Main body is a machined from a solid piece

Material


BRASS

According to CuZn40Pb3 (CW614N)

Max Lead content: 2.5%











WARRANTY

All IB Rubinetterie SpA products are warrented for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our werehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finisched surfaces due to use of cleaning products containing acids or abrasive substances. Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommanded cleaning the finish surfaces with water and soap, using a soft cloth. Do not use detergents that cointain hydrochloric acid or abrasive substances.

